


Environmental Product Declaration

Global GreenTagEPD Program: Compliant to EN15804+A2 2019



HPL Compact Laminate Impressions Natural, Nuance & Chalk 332 Bay Rd, Cheltenham Victoria 3192,Australia

Laminex

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Mandatory Disclosu	Mandatory Disclosures							
EPD type	Cradle to grave A1 to C	4 + D	EPD Numbers	LGHP06 2023EP				
Issue Date	29 July 2023		Valid Until	29July 2028				
Demonstration of	Verification							
PCR		A2 2019 serves as core Product Category Rules (PCR) [1]. Wall Sub-PCR WCL:2023 as well as Fitted Cabinetry Sub-PCR s [2 and 3].						
☑ Internal	Dehyn Jones 29 July 2023 July 2023 25.07.2023			ones, The Evah Institute aiker The Evah Institute				
	07/11/2023		viewed by David Bagg onal Pty Ltd	gs, Global GreenTag				
☑ External		Third Party Verifier ^a Mathilde Vlieg Malaika LCT a. Independent external verification of the declaration and data, mandatory for business-to-consumer communication according to ISO 14025:2010 [2].						
Communication	This EPD discloses po business-to-business c	potential environmental outcomes compliant with EN 15804 for s communication.						
Comparability	Different program EPD	t EPDs may not be comparable if not EN15804 compliant. PDs may not be comparable. Comparability is further dependent pry rules and data source used.						
Reliability		elative expressions that do not predict impacts on category g of thresholds, safety margins or risks.						
Owner	This EPD is the proper	•						
Explanations		information is available at info@globalgreentag.com or by on1@globalgreentag.com [3].						
EPD Program Op	erator I	LCA and	EPD Producer	Declaration Owner				
Global GreenTag I	nternational Pty Ltd	Ecquate F	Pty Ltd	Laminex Industries				
L38, 71 Eagle St.,	Brisbane	PO Box 1	23 Thirroul	332 Bay Rd., Cheltenham				
QLD 4170 Australi	a l	NSW 251	5 Australia	VIC 3192 Australia				
Phone: +61 (0)7 3	3 999 686 I	Phone: +6	61 (0)7 5545 0998	Phone: +61 (08) 9780 1300				
http://www.globalg	reentag.com	http://www	p://www.ecquate.com http://www.thelamines					







HPL Compact Laminate Impressions Natural, Nuance & Chalk

Laminex

Program Description

EPD type	Cr	adle	to gr	ave A	A1 to C4	+ [Das	s de	efine	ed by	' EN '	15804	l [1]							
System boundary		The system boundary with nature includes material processing, manufacture, transport, installation, use																		
Stages included	St	Stages A1-3 A4-5, B1-4, C1 to C2 and C4 D1 to D3																		
Stages excluded	N	No stage was excluded but flows and results for B5-B7, C3 and D3 w								/ere a	all ze	ro.								
Scope Depiction		Figure 1 depicts all modules being declared including some with zero results. Any module not declared (MND) does not indicate a zero result.								ny										
Model		Actual Scenarios							F	oten	tial									
Information		Buildir				g Li	g Life Cycle Assessment						Sup	plem	entary					
Stages Data Modules	Ρ	Product Construct			Use Fabric Operate				E	End-of-Life			Benefit & load beyond system							
	A 4	A 0	• •		<u>۸</u> ۲	B1 B2 B3 B4 B5			DC			04	00	00	04	-				
Unit Operations	AT	A2	A3	A4	A5	BI	BZ	В3	В4	B2	B6	B7	CI	62	C3	C4	D1	D2	D3	
Cradle to Gate+ Options & Grave	Resources	Transport	Manufacture	Transport	Construct	Use	Maintain	Repair	Replace	Refurbish	Energy use	Water use	Demolish	Transport	Process Waste	Disposal	Reuse	Recovery	Recycling	

Figure 1 EPD Life Cycle Modules Cradle to Grave

Data Sources

Primary Data	Data was collected from primary sources 2019 to 2022 including the manufacturer and suppliers' standards, locations, logistics, technology, market share, management system in accordance with EN ISO 14044:2006, 4.3.2, [4]. All are biochemical-physical allocated none are economically allocated.
A1-A3 Stage inclusions	Operations include all known raw material acquisition, refining, processing plus scrap or material reuse from prior systems; electricity generated from all sources with extraction, refining & transport plus secondary fuel energy and recovery processes. Also, transport to factory gate; manufacture of inputs, ancillary material, product, packaging, maintenance, replacement plus flows leaving at end-of-waste boundary and fate of all flows at end of life.
Variability	Significant differences of average LCIA results are declared.
Chemicals of Concern	Contains no substances in the European Chemicals Agency "Authorised or Candidate Lists of Substances of Very High Concern (SVHCs)".

Data Quality

Data cut-off & quality criteria complies with EN 15804 [1] The LCA used background data aged <10 years and quality parameters tabled below.

Background	Data Quality	Parameters and Uncer	tainty (U)		
Correlation	Metric σg	U ±0.01	U ±0.05	U ±0.10	U ±0.20
Reliability	Reporting	Site Audit	Expert verify	Region	Sector
	Sample	>66% trend	>25% trend	>10% batch	>5% batch
Completion	Including	>50%	>25%	>10%	>5%
Completion	Cut-off	0.01%w/w	0.05%w/w	0.1%w/w	0.5%w/w
Tomporal	Data Age	<3 years	≤5 years	<7.5 years	<10 years
Temporal	Duration	>3 years	<3 years	<2 years	1 year
Technology	Typology	Actual	Comparable	In Class	Convention
Geography	Focus	Process	Line	Plant	Corporate
	Range	Continent	Nation	Plant	Line
	Jurisdiction	Representation is Global	. Africa, North Am	erica, Europe, F	Pacific Rim

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Product Information

The Laminex Group is a leading manufacturer, distributor and marketer of decor board and surfaces.

Brand Name & Code	Compact Laminate Impressions Natural, Nuance & Chalk 0.7mm
Range Names	HPL Compact Laminate Impressions
Factory warranty	10 years use in interior residential and commercial buildings
Manufacturer address	Laminex Industries 332 Bay Rd., Cheltenham VIC 3192 Australia
Site representation	Australasia
Geographical Area	Use and disposal as for Australasia
Application	Benchtops & Cabinetry
Function in Building	Benchtops & Cabinetry
Lifetime [5,6]	20 years Reference Service Life (RSL) [ISO 15686]
Declared unit	Compact Laminate Impressions Natural, Nuance & Chalk 0.85kg/m ²
Functional unit	20 years interior wet area use of declared product/kg cradle to grave

Product Components

This section summarises factory components, functions, source nation and % mass share. In product content listed below the % mass has a $\pm 5\%$ range and a confidence interval that is 90% certain to contain true population means at any time. Listing such $90\pm 5\%$ certainty considers normal resource acquisition, supply chain, sedimentation, seasonal, manufacturing and product variation over this EPD's validity period. This also allows for intellectual property protection whilst ensuring fullest possible transparency.

Function	Component	Cradle	% w/w
Filler	Cellulose Fibre	Global	>65 <66
Binder	Phenol Formaldehyde	Germany	>24 <25
Binder	Melamine Formaldehyde	Germany	>3.0 <4.0
Other Agents	Plasticiser, fire retarder, catalyst, biocide, wetting & release agents	Global	each <1.0
Packaging			
Crate	Timber	Australia	>3.0 <4.0
Pallet	Timber	Australia	>1.5 <2.0
Wrapping etc	Polymers	Global	>1.0 <1.5
Coverboards	Medium density fibreboard	Australia	>0.1 < 0.2
Straps & Tape	Polyester	Global	>0.05 < 0.10

Product Functional & Technical Performance Information

This section provides manufacturer specifications and additional information.

Specifications, Maintenance, Fire, Safety & Installation	https://www.laminex.com.au/trade
AS/NZS standard classification	Group 3
Panel dimensions length*width ±10mm	3.6*1.5m
VOC Specific Area Emission Rate	0.5mg/m²/hr

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

System Analysis Scope and Boundaries

Stages A1 to 3 model actual operations. Stage A4 to C4 are model scenarios.

Typical scenarios are assumed to forecast unit operations as described in the next section.

Figure 2. shows included processes in a cradle to grave system boundary to end of life fates to unshown beyond the boundary reuse, recycling or landfill grave.




Figure 2. Product Process Flow Chart

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Scenarios for Modules/Functional Unit

Stages A1 to A3 model actual operations. This section defines scenarios A4 to D3. C3 Waste Treatment has no flows.

Phase	Operation	Type specified	Amount	Type specified	Amount
	Transport to Site	25t semi-trailer	60 km	85% Capacity	Full back load
	Long distance road	25t semi-trailer	600km	85% Capacity	Full back load
A4 Transat	Continental freight rail	Diesel train	600km	85% Capacity	Full back load
Transport	Container shipping	Factory to CBD	1,200km	85% Capacity	Full back load
	Volume capacity (<1 ≥1)	Utilisation factor	1	Uncompressed	Un-nested
	Ancillaries	Adhesive	0.025kg	Edge trim	0.0001kg
	Packing	Cardboard	0.005kg	Polymer	0.00001kg
A5	Water & Energy	Town water	0.5litre	Grid power	0.0002 MJ
	Waste on site	Trims	0.05kg	All packaging	As shown kg
	Scrap collection & route	25t semi-trailer	60 km	to landfill	In LCA report
	Emissions	Nil to air & water	0.0kg	All from landfill	In LCA report
	Maker's specification	URL Declared	Specified	Clean cycle	Weekly
B2 Maintain	Ancillaries	Wipes	Negligible	Detergent	0.007kgpa
	Surface Washdown	Town water	1.95kgpa	Net to drain	1.90kgpa
	Typical practice	Damaged parts	0.05kg	Worn parts	Same 5%
	Maker's specification	As per website	Specified	Freight to site	As A5
Repair	Energy input & source	No excess	0.0MJpa	Packaging	As A5
C1	Typical practice	Remove worn	0.05kg	Collect Separate	0.05kg
Demolish	Collection process	In site waste	0.40kg	Separate to reuse	0.0kg
C2 Transport	Typical practice	25t truck road	50km	85% capacity	No back load
C3 Waste Treatment	Typical practice	No waste treated	0.0kg	Not for energy	0.0kg
	Typical practice	Product specific	0.05kg	Collect separately	0.05kg
C4 Dispose	Typical practice	Worn to landfill	5%	All emissions	mass share
Dispose	Recovery system	No recycling	0.0kg	Not for energy	0.0kg
D1 Reuse	Typical practice	Reuse	95%	Patch 5%	0.05kg
D2 Recover	Typical practice	Recover	100%	Cleaning	sweep
D3 Recycle	None typically	At 60 years	Nil	None	0%

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Environmental Impact Terminology

The United Nations reports only a few decades are left to resolve accelerating climate emergency and extinction crises. It is a call to action to all people to reverse the loss of climate and biodiversity security from human development in all activity [16]. Key environmental damages contributing to risks of ecological and community loss and collapse are tabled below with common names and remedies for each indicator.

Climate change from anthropo- genic infrared forced global warming	Greenhouse gases absorb infra-red radiation. This heat reduces thermal energy differentials, from equator to poles, forcing ocean current and wind circulation to blend and regulate climate. Weakly blended "lumpier" weather has more frequent, extreme heat wave, fire-storm, cyclone, rain-storm, flood and blizzard events. Accumulation of carbon dioxide, natural gas methane, nitrous oxides and volatile organic compounds from burning fossil fuels causes global warming. Forest and wilderness growth absorbing air-borne carbon in biomass can drawdown such accumulation. Urgent renewable energy reliance is vital in time to avoid imminent tipping points and the worsening " <i>climate emergency</i> ".
Ozone layer depletion	Stratospheric ozone loss weakens the planet's solar shield so more shorter wavelength ultraviolet (UVB) light reaching earth damages plants and increases malignant melanoma and skin cancer in humans and animals. Chlorofluorocarbons, hydrochlorofluorocarbons (HCFC), hydrobromofluorocarbons, carbon tetrachloride, chlorobromomethane, methyl chloroform, methyl bromide and halon gas cause ozone layer loss. To repair the "ozone hole" reliance on ozone-safe refrigerants, aerosols and solvents is essential to avoid further its depletion and enable accumulation of naturally-formed ozone.
Acidification of air, land and waters	Acidification in the atmosphere reduces soil and waterway pH, impedes nitrogen fixation vital for plant growth and inhibits natural decomposition. It increases rates and incidence of fish kills, forest loss and deterioration of buildings and materials. Chief synthetic causes of " <i>acid rain</i> " are emissions of sulphur and nitrogen oxides, hydrochloric and hydrofluoric acids and ammonia from burning fossil fuels polluting precipitation of rain and snow world-wide.
Eutrophication of terrestrial, freshwater and marine life	Eutrophication from excessively high macronutrient levels added to natural waters promotes excessive plant growth that severely reduces oxygen, water and habitat security for aquatic and terrestrial organisms across related ecosystems. Chief synthetic cause of " <i>algal blooms</i> " is nitrogen (N, NOx, NH ₄) and phosphorus (P, PO ₄ ³⁻) in rain run-off over-fertilised land catchments.
Photochemical ozone creation	Tropospheric photochemical ozone, called " <i>summer smog</i> " near ground level, is created from natural and synthetic compounds in UV sunlight. Low concentration smog damages vegetation and crops. High concentration smog is hazardous to human health. Chief synthetic causes are nitrogen oxides, carbon monoxide and volatile organic compounds (VOC) pollutants. Avoiding reliance on dirtiest coal fuel and volatile chemicals has reduced smog incidence in many areas globally.
Depletion of minerals, metals & water	Abiotic depletion of finite mineral resources increases time, effort and money required to obtain more resources to the point of extinction of naturally viable reserves. This can limit access to available, valuable and scarce elements vital for human-life. The youth movement " <i>extinction rebellion</i> " calls on adults to secure climate, material reserves and biodiversity for current and future generations.
Depletion of fossil fuel reserves	Abiotic depletion of resources by consuming finite oil, natural gas, coal and yellowcake fossil fuel reserves leaves current and future generations suffering limited available, accessible, plentiful, essential valuable as well as scarce raw material, medicinal, chemical, feedstock and fuel stock. Approaching " <i>peak oil</i> " acknowledged fossil fuel reserves are finite and the need for decision-makers to act to avoid market instability, insecurity and or oil and gas wars.

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Glossary of Impact Assessment Terms, Methods and Units

Acronyms, methods and units of impact potentials plus inventory inputs and outputs, are defined below

Noronymo, methodo and anito or impaot po	teritiais plus	inventory inputs and outputs, are de	
Impact Potentials	Acronym	Description of Methods	Units
Climate Change biogenic	GWP bio	GWP biogenic [7]	kg CO _{2eq}
Climate Change Iuluc	GWP luluc	GWP land use & change [7]	kg CO _{2eq}
Climate Change fossil	GWP ff	GWP fossil fuels [7]	kg CO _{2eq}
Climate Change total	GWP t	Global Warming Potential [7]	kg CO _{2eq}
Stratospheric Ozone Depletion	ODP	Stratospheric Ozone Loss [8]	kg CFC _{11eq}
Photochemical Ozone Creation	POCP	Summer Smog [9]	kg NMOC _{eq}
Acidification Potential	AP	Accumulated Exceedance [10]	mol H⁺ _{eq}
Eutrophication Freshwater	EP fresh	Excess nutrients freshwater [11]	kg P _{eq}
Eutrophication Marine	EP marine	Excess marine nutrients [11]	kg N _{eq}
Eutrophication Terrestrial	EP land	Excess Terrestrial nutrients [11]	mol N _{eq}
Mineral & Metal Depletion	ADP min	Abiotic Depletion minerals [12]	kg Sb _{eq}
Fossil Fuel Depletion	ADP ff	Abiotic Depletion fossil fuel [13]	MJ _{ncv}
Water Depletion	WDP	Water Deprivation Scarcity [14,15]	M^3 WDP eq
Fresh Water Net	FW	Lake, river, well & town water	m ³
Secondary Material	SM	Post-consumer recycled (PCR)	kg
Secondary Renewable Fuel	RSF	PCR biomass burnt	MJ _{ncv}
Primary Energy Renewable Material	PERM	Biomass retained material	MJ ncv
Primary Energy Renewable Not Feedstock	PERE	biomass fuels burnt	MJ _{ncv}
Primary Energy Renewable Total	PERT	Biomass burnt + retained	MJ ncv
Secondary Non-renewable Fuel	NRSF	PCR fossil-fuels burnt	MJ ncv
Primary Energy Non-renewable Material	PENRM	Fossil feedstock retained	MJ _{ncv}
Primary Energy Non-renewable Not Feedstock	PENRE	fossil-fuel used or burnt	MJ nev
Primary Energy Non-renewable Total	PENRT	Fossil feedstock & fuel use	MJ _{ncv}
Hazardous Waste Disposed	HWD	Reprocessed to contain risks	kg
Non-hazardous Waste Disposed	NHWD	Municipal landfill facility waste	kg
Radioactive Waste Disposed	RWD	Mostly ex nuclear power stations	kg
Components For Reuse	CRU	Product scrap for reuse as is	kg
Material For Recycling	MFR	Factory scrap to remanufacture	kg
Material For Energy Recovery	MER	Factory scrap use as fuel	kg
Exported Energy Electrical	EEE	Uncommon for building products	MJ _{ncv}
Exported Energy Thermal	EET	Uncommon for building products	MJ _{ncv}

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Results Module A Cradle to Site

Table 1 shows results of A1 resourcing, A2 transport, A3 manufacture, A4 delivery and A5 construct.

Table 1 A1 to A5 Impact & Inventory Results/Func	tional Unit		
Result	A1-3	A4	A5
Climate Change biogenic	-1.5	-1.1E-06	-7.5E-02
Climate Change Iuluc	6.2E-02	1.0E-09	2.8E-03
Climate Change fossil	9.7	1.9E-02	0.47
Climate Change total	8.3	1.9E-02	0.40
Stratospheric Ozone Depletion	1.3E-07	1.7E-13	9.1E-09
Photochemical Ozone Creation	4.7E-02	1.2E-04	2.1E-03
Acidification Potential	1.9E-02	1.2E-05	9.1E-04
Eutrophication Freshwater	3.0E-05	5.6E-10	1.9E-06
Eutrophication Marine	4.4E-03	2.3E-06	2.1E-04
Eutrophication Terrestrial	3.9E-02	7.7E-06	1.9E-03
Mineral and Metal Depletion	2.5E-03	7.2E-06	1.2E-04
Fossil Depletion	5.3	2.2E-02	0.26
Water Scarcity Depletion	1.0E-01	3.0E-06	4.4E-03
Net Fresh Water Use	0.62	1.8E-05	2.7E-02
Secondary Material	0.40	2.3E-06	2.7E-03
Secondary Renewable Fuel	29	6.8E-06	1.4
Primary Renewable Material	6.6E-02	3.0E-04	3.1E-03
Primary Energy Renewable Not Feedstock	6.6	2.4E-03	0.33
Primary Energy Renewable Total	36	2.7E-03	1.8
Secondary Non-renewable Fuel	0.22	7.4E-04	1.0E-02
Primary Energy Non-renewable Material	19	0.11	0.92
Primary Non-renewable Energy Not Feedstock	89	0.19	4.2
Primary Energy Non-renewable Total	108	0.30	5.2
Hazardous Waste Disposed	2.4E-03	3.7E-05	1.2E-04
Non-hazardous Waste Disposed	0.86	3.1E-04	4.1E-02
Radioactive Waste Disposed	2.4E-15	1.1E-31	1.1E-16
Components For Reuse	0	4.4E-3	0
Material For Recycling	8.1E-02	5.7E-06	6.0E-03
Material For Energy Recovery	1.2E-02	2.3E-07	2.1E-05
Exported Energy Electrical	0	0	0
Exported Energy Thermal	0	0	0

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Results Module B: Building Fabric and Operations

Table 2 shows results of B1 use, B2 maintain, B3 repair, B4 replace, B5 refurbish, B6 energy use and B7 water use.

Climate Change biogenic 0 -0.10 -7.5E-02 0 0 0 0 Climate Change luluc 0 6.5E-06 2.8E-03 0 0 0 0 Climate Change fossil 0 0.72 0.47 0 0 0 0 Climate Change total 0 0.62 0.40 0 0 0 0 Stratospheric Ozone Depletion 0 3.2E-09 9.1E-09 0 0 0 0 Photochemical Ozone Creation 0 3.0E-03 2.1E-03 0 0 0 0 Acidification Potential 0 1.3E03 9.1E-04 0 0 0 0 Eutrophication Freshwater 0 6.5E-07 1.9E-06 0 0 0 0 Eutrophication Marine 0 1.5E-03 1.9E-03 0 <th>B7 0 0 0</th>	B7 0 0 0
Climate Change luluc 0 6.5E-06 2.8E-03 0 0 0 Climate Change fossil 0 0.72 0.47 0 0 0 Climate Change total 0 0.62 0.40 0 0 0 0 Stratospheric Ozone Depletion 0 3.2E-09 9.1E-09 0 0 0 0 Photochemical Ozone Creation 0 3.0E-03 2.1E-03 0 0 0 0 Acidification Potential 0 1.3E03 9.1E-04 0 0 0 0 0 0 Eutrophication Freshwater 0 6.5E-07 1.9E-06 0 <th>0</th>	0
Climate Change fossil 0 0.72 0.47 0 0 0 Climate Change total 0 0.62 0.40 0 0 0 0 Stratospheric Ozone Depletion 0 3.2E-09 9.1E-09 0 0 0 0 Photochemical Ozone Creation 0 3.0E-03 2.1E-03 0 0 0 0 Acidification Potential 0 1.3E03 9.1E-04 0	
Climate Change total 0 0.62 0.40 0 0 0 Stratospheric Ozone Depletion 0 3.2E-09 9.1E-09 0 0 0 Photochemical Ozone Creation 0 3.0E-03 2.1E-03 0 0 0 Acidification Potential 0 1.3E03 9.1E-04 0 0 0 0 Eutrophication Freshwater 0 6.5E-07 1.9E-06 0 0 0 0 Eutrophication Marine 0 2.1E-04 2.1E-04 0 0 0 0 Fossil Depletion 0 3.2E-04 1.2E-04 0 0 0 0 Water Scarcity Depletion 0 0.52 0.26 0 0 0 0 Net Fresh Water Use 0 6.6E-02 2.7E-03 0 0 0 0 Secondary Renewable Fuel 0 1.4 1.4 0 0 0 0	0
Stratospheric Ozone Depletion 0 3.2E-09 9.1E-09 0 0 0 Photochemical Ozone Creation 0 3.0E-03 2.1E-03 0 0 0 Acidification Potential 0 1.3E03 9.1E-04 0 0 0 0 Eutrophication Freshwater 0 6.5E-07 1.9E-06 0 0 0 0 Eutrophication Marine 0 2.1E-04 2.1E-04 0 0 0 0 Eutrophication Terrestrial 0 1.5E-03 1.9E-03 0 0 0 0 Mineral and Metal Depletion 0 3.2E-04 1.2E-04 0 0 0 0 Water Scarcity Depletion 0 0.52 0.26 0 0 0 0 Net Fresh Water Use 0 6.6E-02 2.7E-02 0 0 0 0 Secondary Material 0 1.4 1.4 0 0 0 0	
Photochemical Ozone Creation 0 3.0E-03 2.1E-03 0 0 0 Acidification Potential 0 1.3E03 9.1E-04 0 0 0 Eutrophication Freshwater 0 6.5E-07 1.9E-06 0 0 0 Eutrophication Marine 0 2.1E-04 2.1E-04 0 0 0 0 Eutrophication Terrestrial 0 1.5E-03 1.9E-03 0 0 0 0 Mineral and Metal Depletion 0 3.2E-04 1.2E-04 0 0 0 0 Water Scarcity Depletion 0 1.1E-02 4.4E-03 0 0 0 0 Secondary Material 0 2.7E-03 2.7E-03 0 0 0 0	0
Acidification Potential 0 1.3E03 9.1E-04 0 0 0 Eutrophication Freshwater 0 6.5E-07 1.9E-06 0 0 0 Eutrophication Marine 0 2.1E-04 2.1E-04 0 0 0 0 Eutrophication Terrestrial 0 1.5E-03 1.9E-03 0 0 0 0 Mineral and Metal Depletion 0 3.2E-04 1.2E-04 0 0 0 0 Fossil Depletion 0 0.52 0.26 0 0 0 0 Water Scarcity Depletion 0 6.6E-02 2.7E-02 0 0 0 0 Secondary Material 0 1.4 1.4 0 0 0 0	0
Eutrophication Freshwater06.5E-071.9E-060000Eutrophication Marine02.1E-042.1E-0400000Eutrophication Terrestrial01.5E-031.9E-0300000Mineral and Metal Depletion03.2E-041.2E-0400000Fossil Depletion00.520.2600000Water Scarcity Depletion01.1E-024.4E-030000Net Fresh Water Use06.6E-022.7E-0200000Secondary Material01.41.400000	0
Eutrophication Marine 0 2.1E-04 2.1E-04 0 0 0 Eutrophication Terrestrial 0 1.5E-03 1.9E-03 0 0 0 0 Mineral and Metal Depletion 0 3.2E-04 1.2E-04 0 0 0 0 Fossil Depletion 0 0.52 0.26 0 0 0 0 Water Scarcity Depletion 0 1.1E-02 4.4E-03 0 0 0 0 Net Fresh Water Use 0 6.6E-02 2.7E-02 0 0 0 0 Secondary Material 0 1.4 1.4 0 0 0 0	0
Eutrophication Terrestrial 0 1.5E-03 1.9E-03 0 0 0 Mineral and Metal Depletion 0 3.2E-04 1.2E-04 0 0 0 0 Fossil Depletion 0 0.52 0.26 0 0 0 0 Water Scarcity Depletion 0 1.1E-02 4.4E-03 0 0 0 0 Net Fresh Water Use 0 6.6E-02 2.7E-02 0 0 0 0 Secondary Material 0 1.4 1.4 0 0 0 0	0
Mineral and Metal Depletion 0 3.2E-04 1.2E-04 0 0 0 Fossil Depletion 0 0.52 0.26 0 0 0 0 Water Scarcity Depletion 0 1.1E-02 4.4E-03 0 0 0 0 Net Fresh Water Use 0 6.6E-02 2.7E-02 0 0 0 0 Secondary Material 0 1.4 1.4 0 0 0 0	0
Fossil Depletion 0 0.52 0.26 0 0 0 Water Scarcity Depletion 0 1.1E-02 4.4E-03 0 0 0 0 Net Fresh Water Use 0 6.6E-02 2.7E-02 0 0 0 0 Secondary Material 0 1.4 1.4 0 0 0 0	0
Water Scarcity Depletion 0 1.1E-02 4.4E-03 0 0 0 0 Net Fresh Water Use 0 6.6E-02 2.7E-02 0 0 0 0 Secondary Material 0 2.7E-03 2.7E-03 0 0 0 0 Secondary Renewable Fuel 0 1.4 1.4 0 0 0 0	0
Net Fresh Water Use 0 6.6E-02 2.7E-02 0 0 0 Secondary Material 0 2.7E-03 2.7E-03 0 0 0 0 0 Secondary Renewable Fuel 0 1.4 0 0 0 0 0 0	0
Secondary Material 0 2.7E-03 2.7E-03 0 0 0 0 Secondary Renewable Fuel 0 1.4 1.4 0	0
Secondary Renewable Fuel01.41.40000	0
	0
Primary Renewable Material 0 3.1E-03 3.1E-03 0 0 0	0
	0
Primary Energy Renewable Not Feedstock00.330.33000	0
Primary Energy Renewable Total01.80000	0
Secondary Non-renewable Fuel 0 1.0E-02 1.0E-02 0 0 0	0
Primary Energy Non-renewable Material00.920.92000	0
Primary Non-renewable Energy Not Feedstock04.24.20000	0
Primary Energy Non-renewable Total05.25.2000	0
Hazardous Waste Disposed 0 9.9E-04 1.2E-04 0 0 0	0
Non-hazardous Waste Disposed 0 0.11 0.40 0 0 0	0
Radioactive Waste Disposed 0 2.7E-17 1.1E-16 0 0 0	0
Components For Reuse 0	0
Material For Recycling 0 7.6E-02 6.0E-03 0 0 0	0
Material For Energy Recovery 0 3.6E-05 2.1E-05 0 0 0	0
Exported Energy Electrical0000000	0
Exported Energy Thermal0000000	0

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Results Module C: End-of-life

Table 3 shows results for C1 demolish, C2 transport C3 waste processing and C4 disposal.

Table 3 C1 to C4 Impact & Inventory Results/Functional Unit						
Result	C1	C2	C3	C4		
Climate Change biogenic	-7.0E-06	-5.4E-07	0	-3.4E-07		
Climate Change Iuluc	1.0E-08	8.0E-10	0	5.1E-10		
Climate Change fossil	1.9E-03	6.2E-03	0	6.1E-03		
Climate Change total	1.9E-03	6.2E-03	0	6.1E-03		
Stratospheric Ozone Depletion	2.3E-13	1.1E-13	0	8.8E-14		
Photochemical Ozone Creation	7.6E-06	6.0E-05	0	1.4E-04		
Acidification Potential	3.5E-06	5.1E-06	0	1.8E-05		
Eutrophication Freshwater	7.3E-13	3.1E-10	0	2.6E-10		
Eutrophication Marine	6.4E-07	9.4E-07	0	3.3E-06		
Eutrophication Terrestrial	4.1E-06	3.2E-06	0	6.3E-06		
Mineral and Metal Depletion	3.8E-09	4.2E-06	0	4.0E-06		
Fossil Depletion	9.2E-04	7.5E-03	0	7.2E-03		
Water Scarcity Depletion	2.5E-07	1.4E-06	0	1.2E-06		
Net Fresh Water Use	1.5E-06	8.7E-06	0	7.5E-06		
Secondary Material	1.5E-05	1.7E-06	0	1.2E-06		
Secondary Renewable Fuel	7.4E-08	-5.3E-17	0	3.3E-17		
Primary Renewable Material	2.3E-03	2.9E-04	0	2.1E-04		
Primary Energy Renewable Not Feedstock	1.4E-07	1.6E-03	0	1.3E-03		
Primary Energy Renewable Total	2.3E-03	1.9E-03	0	1.5E-03		
Secondary Non-renewable Fuel	1.4E-08	4.8E-04	0	3.9E-04		
Primary Energy Non-renewable Material	2.0E-02	6.3E-02	0	6.0E-02		
Primary Non-renewable Energy Not Feedstock	2.5E-04	3.7E-02	0	4.0E-02		
Primary Energy Non-renewable Total	2.0E-02	0.10	0	0.10		
Hazardous Waste Disposed	7.3E-08	1.2E-05	0	1.2E-05		
Non-hazardous Waste Disposed	5.6E-06	9.6E-05	0	5.0E-02		
Radioactive Waste Disposed	4.4E-21	8.5E-32	0	5.4E-32		
Components For Reuse	0	0	0	0		
Material For Recycling	2.2E-05	4.0E-06	0	3.0E-06		
Material For Energy Recovery	2.9E-10	1.5E-07	0	1.2E-07		
Exported Energy Electrical	0	0	0	0		
Exported Energy Thermal	0	0	0	0		

Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Results Module D: Beyond System Boundaries

Table 4 has results for benefit and loads in D1 reuse, D3 recycling and D2 recovery.

Table 4 D1 to D3 Impact & Inventory Results/Functional Unit					
Result	D1	D2	D3		
Climate Change biogenic	-0.43	-1.8E-05	-1.3E-03		
Climate Change Iuluc	-1.5E-02	1.8E-09	2.8E-03		
Climate Change fossil	-2.8	2.5E-04	0.47		
Climate Change total	-2.4	2.3E-04	0.40		
Stratospheric Ozone Depletion	-3.4E-08	5.9E-13	9.1E-09		
Photochemical Ozone Creation	-1.3E-02	1.0E-06	2.1E-03		
Acidification Potential	-5.3E-03	4.4E-07	9.1E-04		
Eutrophication Freshwater	-9.9E-06	1.2E-10	1.9E-06		
Eutrophication Marine	-1.2E-03	7.7E-08	2.1E-04		
Eutrophication Terrestrial	-1.1E-02	5.2E-07	1.9E-03		
Mineral and Metal Depletion	-7.2E-04	5.8E-08	1.2E-04		
Fossil Depletion	-1.6	1.5E-04	0.26		
Water Scarcity Depletion	-2.5E-02	1.8E-05	4.4E-03		
Net Fresh Water Use	-0.16	1.1E-04	2.7E-02		
Secondary Material	-7.4E-03	0	2.7E-03		
Secondary Renewable Fuel	-8.0	1.7E-04	1.8E-03		
Primary Renewable Material	-1.7	2.7E-04	0.20		
Primary Energy Renewable Not Feedstock	-6.7E-02	3.0E-05	4.3E-03		
Primary Energy Renewable Total	-10.0	4.7E-04	0.21		
Secondary Non-renewable Fuel	-8.0E-02	7.7E-06	1.5E-03		
Primary Energy Non-renewable Material	-26	2.4E-03	1.9		
Primary Non-renewable Energy Not Feedstock	-6.0	3.2E-04	0.14		
Primary Energy Non-renewable Total	-32	2.7E-03	2.0		
Hazardous Waste Disposed	-1.0E-03	1.9E-07	1.2E-04		
Non-hazardous Waste Disposed	-6.1E-02	2.0E-05	4.1E-02		
Radioactive Waste Disposed	-6.0E-16	4.9E-21	1.1E-16		
Components For Reuse	0	0	0		
Material For Recycling	-4.9E-02	1.5E-05	6.0E-03		
Material For Energy Recovery	-8.3E-05	6.5E-09	2.1E-05		
Exported Energy Electrical	0	0	0		
Exported Energy Thermal	0	0	0		


Laminex

HPL Compact Laminate Impressions Natural, Nuance & Chalk

Interpretation Cradle to Gate A1 to A3

The first interpretation section discusses Compact High Pressure Laminate results cradle to gate A1 to A3. Their names are Formica Velour (FO), Natural Nuance Chalk (NNC), Absolute Matte (AM), Chemical Resistant (Lab), CustomArt® (CA) and Natural Nuance Chalk Impressions (IMP)

Figure 3 charts their component mass kg/kg product A1-3. Figure 4 charts energy and feedstock input (MJ), versus filler, binder and greenhouse emissions (GWP) (kg)/kg product A1-3.






Figure 3 Material Component Share kg/kg


Figure 4 Input Share (MJ & kg) Vs CO_{2e} kg/kg

Figure 3 shows cellulose filler and binders of Phenol or Melamine Formaldehyde (PF or MF) were the main components with others having very low mass share. Figure 4 shows reliance on fossil energy then renewable energy use then fossil feedstock compared to reliance on cellulose fill and formaldehyde binders versus low GWP. Renewable cellulose feedstock fill and renewable energy use reduced GWP.

Interpretation Cradle to Grave and Beyond the System Boundary A1 to D3

The next section discusses product results cradle to fate A1 to C4 and to D3 beyond the system boundary/kg Functional Unit.

Figure 5 charts fossil and renewable energy use and fossil feedstock use versus GWP. Figure 6 charts Freshwater use (FW $_{net}$) Vs Acidification (AP) and Terrestrial Eutrophication (EP $_{land}$).






Figure 5 GWP vs Energy & Feedstock A-D/kg



Figure 5 shows low GWP overall. It shows flows with minor credits in energy reuse beyond 20-years. Chart 6 shows Acidification and EP peak with cleaning in D1 reuse beyond 20-years.

Laminex

Compliant to EN 15804+A2, ISO 14025 ISO 21930

HPL Compact Laminate Impressions Natural, Nuance & Chalk

References

- [1] EN 15804:2012+A2:2019 Sustainability of construction works Environmental product declarations -Core rules for the product category of construction products.
- [2] GreenTag PCR https://www.globalgreentag.com/get/files/1191/wall-ceiling-linings-sub-pcr-wcl.pdf
- [3] GreenTag PCR <u>https://www.globalgreentag.com/get/files/1189/fitted-cabinetry-sub-pcr-2023-fic.pdf</u>
- [4] ISO 14025:2010 Environmental labels and declarations Type III environmental declarations Principles and procedures.
- [5] ISO14044:2006 Environmental management Life cycle assessment (LCA) Requirements and guidelines.
- [6] ISO 15686-2:2012 Buildings and constructed assets Service life planning Part 2: Service life prediction procedures.
- [7] ISO 15686-8:2008 Buildings and constructed assets Service-life planning Part 8: Reference service life and service-life estimation.
- [8] IPCC 2013, Global Warming Potential 100-year, IPCC Fifth Assessment Report Climate Change.
- [9] WMO 2014, Ozone Depletion Potentials for Steady-state, Scientific Assessment of Ozone Depletion: 2014, Global Ozone Research and Monitoring Project Report No. 55, 2014.
- [10] Van Zelm, R., Huijbregts, M., Hollander, H., Jaarsveld, H., Sauter, F., Struijs, J., Wijnen, H., Van de meent, D. 2008, European characterization factors for human health damage of PM10 and ozone in life cycle impact assessment, J O Atmospheric Environment 42(3):441-453, as applied in ReCiPe LOTOS-EUROS. DOI: 10.1016/j.atmosenv.2007.09.072
- [11] Seppälä, J., Posch, M., Johansson, M. and Hettelingh, J-P. 2006 Country-dependent Characterisation Factors for Acidification and Terrestrial Eutrophication Based on Accumulated Exceedance as an Impact Category Indicator, T Int J O LCA 11(6):403-416 Nov 2006 DOI:10.1065/Ica2005.06.215
- [12] Posch, M., Seppälä, J., Hettelingh, J-P., and Johansson, M., (2008) The role of atmospheric dispersion models and ecosystem sensitivity in the determination of characterisation factors for acidifying and eutrophying emissions in LCIA, Sept 2008, I J of Life Cycle Assessment 13(6):477-486., DOI:10.1007/s11367-008-0025-9
- [13] Struijs, J., Beusen, A., van Jaarsveld, H. & Huijbregts, M.A.J. (2009b). Aquatic Eutrophication. Ch 6 in: Goedkoop, M., Heijungs, R., Huijbregts, M.A.J., De Schryver, A., Struijs, J., Van Zelm, R. (2009). ReCiPe 2008 A LCIA method which comprises harmonised category indicators at the midpoint and the endpoint level. Report I: Characterisation factors, 1st Ed.
- [14] CML–IA V4.1 LCA methodology, 2002, October 2012, CML University of Leiden, Netherlands.
- [15] Guinée et al., 2002, and van Oers et al., 2002 CML LCA methodology 2002a, Institute of Environmental Sciences (CML), Faculty of Science, University of Leiden, Netherlands.
- [16] Boulay, A-M., Bare, J., Benini, L., Berger, M., Lathuilliere, M., Manzardo, A., Margni, M., Motoshita, M., Núñez, M., Pastor, A., Ridoutt, B., Oki, T., Worbe, S., Pfister, S. (2018). The WULCA consensus characterization model for water scarcity footprints: assessing impacts of water consumption based on available water remaining (AWARE). I J of LCA. 23. 1-11. 10.1007/s11367-017-1333-8.