GLOBAL GREEN TAG INTERNATIONAL



IEdiSA Graphenstone[®] Mineral Paints & Primers

Graphenstone® Mineral Paints and Primers are lime based interior and exterior paints containing graphene reinforcement. The product range covered is Ecosphere Premium; Biosphere Premium; GCS Interior Premium; GCS Exterior Premium; Stuki Premium; Atmosphere Interior/Grafclean, Atmosphere Exterior/Grafclean, Atmosphere CLP.

Products/Ranges:	Mi
Product Stages Assessed:	Ma
Product Type:	Pai
CSI Masterformat:	09
Licenced Site/s:	Sev
Licence Number:	GR/
Licence Date:	28t
Valid To:	28t
Standard:	GG
Screening Date:	28t
PHD URL:	ww

neral Paints & Primers anufacturing + In-Use ints 91 00 ville, Spain A:PP01:2023:PH th February 2023 th February 2026 T International v4.0 th February 2023 w.globalgreentag.com/certificate/2189



Health**Rate**™



PHD Summary
Percentage Assessed:

Inventory Threshold: 100ppm Product Level

Inventory Method: Nested Materials

GreenTag Banned List Compliant.


0 GreenTag PHD recognized by WELL * & LEED * Material Transparency & Optimization credits included below:

100%

0 Meets IWBI* WELL*v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for ~ Feature 04 (Part 1, 2, 3, 4, 5); Feature 11 (Part 1, 5); Feature 25 (Part 1, 2, 3, 4, 5), and, meets IWBI * WELL * v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X01 (Part 1, 2, 3); X05 (Part 1, 2); X06 (Part 1, 2); X07 (Part 2); X08 (Part 1).

Meets USGBC LEED* v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.

Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors,



Declared by: Global GreenTag International Pty Ltd



David Baggs Verified compliant with: ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED * v4.0 & v4.1, WELL * v1.0 & v2.0, Green Star *, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petro- leum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



2

Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Calcium Carbonate	Powder							
								Their is no identifiable risk to end user
Calcium carbonate	1317-65-3	30-50%	None	OK				
carbonate								Recycled Content: None Nanomaterials: Unknown
Binder								Nationalenais, onknown
								If exposed to the skin, eyes, and respirat system, the substance can cause eye dama skin irritation, and respiratory irritation.
Calcium Dihydroxide	Natural binder with graphene. Used as base of the paint and to	15-20%	H318, H315, H335	ОК	_		_	The factory's OH&S conditions and GGTI safety review indicates expos is unlikely. The manufacturer has OHS a Environmental policies in place. PPE is w while handling hazardous substam. Hazardous waste will not be disposed of in waterways or environment but will be dispo of appropriately as per local environmen policy.
	include whiteness and coverage.							The manufacturer is ISO14001 certified.
	and coverage.							In use, PPE such as gloves, masks, safety glass and boots are recommended during pa application and removal. Once applied a dried, this substance will be incorporated int hard, durable, inert film and will not presen significant hazard to the end-user
								Recycled Content: None Nanomaterials: Unknown
		20.05%		014	_			Their is no identifiable risk to end user
Water	7732-18-5	20-25%	None	OK				Recycled Content: None Nanomaterials: Unknown
Water (Used to liqu	uify paint)							
Water	7732-18-5	20-30%	None	ОК	_	_	_	Their is no identifiable risk to end user
								Recycled Content: None Nanomaterials: Unknown
Titanium Dioxide F	Pigment							
Titanium dioxide	13463-67-7	2-10%	IARC 2B, H351	ОК		_		If exposed to the respiratory system, the s stance is suspected of causing cancer. The factory's OH&S conditions and GGTI safety review indicates exposure unlikely. The manufacturer has OHS and Er ronmental policies in place. PPE is worn will handling hazardous substances. Hazardd waste will not be disposed of in the waterw or environment but will be disposed of app priately as per local environmental policy. The manufacturer is ISO14001 certified. In use, PPE such as gloves, masks, safety glass and boots are recommended during paint plication and removal. Once applied and dried, this substance will incorporated into a hard, durable, inert f and will not present a significant hazard to end-user Recycled Content: None Nanomaterials: Unknown
								Their is no identifiable risk to end user
Proprietary	Additive	1-5%	IARC 3	OK				Recycled Content: None Nanomaterials: Unknown
		1-5%	None	ОК				Their is no identifiable risk to end user
Aluminium	21645-51-2		None					



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Trimethylolpro- pane	77-99-6	0.1-1%	H361	ОК			_	If exposed to the respiratory system, ingested, or in contact with skin, the substance is suspect- ed to damage fertility. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. PPE such as gloves, masks, safety glasses, and boots are recommended during paint applica- tion and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user Recycled Content: None Nanomaterials: Unknown
Binder								
Proprietary	Binder	1-5%	None declared	ОК	-	-	-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Water	7732-18-5	1-5%	None	ОК	-		-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Talc								
Talc	14807-96-6	30-35%	None	ОК	-		-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Magnesite	546-93-0	1-10%	None	ОК	-	-	-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Sodium Aluminosil	icate							
Sodium Alumino- silicate	1344-00-9	1-5%	H315, H319, H335	ОК				If exposed to the respiratory system, skin, and eyes, the substance can cause skin, eyes, and respiratory irritation. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user Recycled Content: None Nanomaterials: Unknown
Dispersant								Their is no identifiable
Water	7732-18-5	1-2%	None	ОК	-	-	-	risk to end user Recycled Content: None Nanomaterials: Unknown
Sodium salt of polyacrylic acid	Dispersing agent	0.1-1%	None	ОК				Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Proprietarys								



Ingredient Name	CAS Number or Function	in Finished product	Endocrine Category	REACH Compliance	Ingredient Assessment	Life Assessment	In Use Health Assessment	Comment
Proprietary	Additive	0.5-2%	None	ОК			-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Defoamer								
Rapeseed oil	8002-13-9	0.1-1%	None	ОК	_	-	-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Proprietary	Emulsifier and Defoamer	1-2%	None	ОК				Their is no identifiable risk to end user Recycled Content: None
								Nanomaterials: Unknown
Hydroxyethylcellul	lose							If exposed to the respiratory system, skin, and eyes, the substance can cause skin, eyes, and respiratory irritation. The factory's OH&S conditions
Hydroxyethyl	0004 62 0	0.2.0.5%	H315, H319,	OK				and GGTI safety review indicates exposure i unlikely. The manufacturer has OHS and Envi ronmental policies in place. PPE is worn while handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appro priately as per local environmental policy.
cellulose 9004-62-0	9004-62-0		H335	OK				The manufacturer is ISO14001 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap plication and removal.
								Once applied and dried, this substance will b incorporated into a hard, durable, inert filr and will not present a significant hazard to th end-user Recycled Content: None Nanomaterials: Unknown
DSPG (Mineral bas	ed mixture)							
Graphene Fibre	8002-13-9	0.01-0.1%	None	ОК				Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Water	7732-18-5	0.01-0.1%	None	ОК	-	-		Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Film preservative								
								If exposed to the skin and eyes, the substance can cause skin sensitization and eye irritation. is also harmful if inhaled or swallowed and toxi to aquatic life.
Proprietary	Preservative	0.1-0.2%	H400, H410, H301, H302, H311, H317, H318, H330,	ОК				The factory's OH&S conditions and GGTI safety review indicates exposure i unlikely. The manufacturer has OHS and Env ronmental policies in place. PPE is worn whil handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appro priately as per local environmental policy. The manufacturer is ISO14001 certified. The Tie
			H310, H350, H331, H372, H314					1 Supplier is ISO14001 certified. In use, PPE such as gloves, masks, safety glasse and boots are recommended during paint ap plication and removal.
								Once applied and dried, this substance will b incorporated into a hard, durable, inert filr and will not present a significant hazard to th end-user
								Recycled Content: None Nanomaterials: Unknown
Graded Sand								





Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Quartz	14808-60-7	10-15%	H351	ОК		_		If exposed to the respiratory system, the sub stance is suspected of causing cancer. The factory's OH&S conditions and GGTI safety review indicates exposure unlikely. The manufacturer has OHS and Env ronmental policies in place. PPE is worn whil handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. In use, PPE such as gloves, masks, safety glasse and boots are recommended during paint ap plication and removal. Once applied and dried, this substance will b incorporated into a hard, durable, inert filt and will not present a significant hazard to the end-user
								Recycled Content: None Nanomaterials: Unknown If exposed to the respiratory system, the sub
Pappirable cruz								stance is suspected of causing cancer. The factory's OH&S conditions and GGTI safety review indicates exposure unlikely. The manufacturer has OHS and Em ronmental policies in place. PPE is worn whi handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appr priately as per local environmental policy. The manufacturer is ISO14001 certified. The composition of respirable silica in the fin paint products is very low (<0.1%).
Respirable crys- alline silica	14808-60-7	0.01-0.1%	H351	ОК		-	-	Exposure to the respirable silica only occurs a wet paint product. This means exposure or occurs during the wet paint application. On applied and dried, this substance will be incc porated into a hard, durable, inert film and w not present a significant hazard to the end use Graphenstone confirms that all Nutech oper tors who handle these materials must follow t strict OHS procedures outlined in accordan with the Work Safe Australia criteria. All P
								with the Work Safe Australia criteria. All P outlined in the SDS is worn at all times whi handling any chemical/raw materials. Regu work-safe Inspections are also conducted c site to ensure these procedures are in place al instructed accordingly. Recycled Content: None Nanomaterials: Unknown

6 Product Health Declaration

Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Titanium dioxide	13463-67-7	1-5%	IARC 2B, H351	ОК				If exposed to the respiratory system, the sub- stance is suspected of causing cancer. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None
Hollow ceramic Mid	crospheres or Cenosp	oheres						Nanomaterials: Unknown
Amorphous alumino silicate	1327-36-2	5-10%	H315, H319	ОК				If exposed to the skin, and eyes, the substance can cause skin and eye irritation. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
Mullite	1302-93-8	1-5%	H315, H319, H335	ОК				If exposed to the respiratory system, skin, and eyes, the substance can cause skin, eyes, and respiratory irritation. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown



7 Product Health Declaration

Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Quartz	14808-60-7	0.1-1%	H351	ОК			_	If exposed to the respiratory system, the sub stance is suspected of causing cancer. The factory's OH&S conditions and GGTI safety review indicates exposure i unlikely. The manufacturer has OHS and Envi ronmental policies in place. PPE is worn whili handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appro priately as per local environmental policy. The manufacturer is ISO14001 certified. PPE such as gloves, masks, safety glasses, and boots are recommended during paint applica- tion and removal. Once applied and dried, this substance will b incorporated into a hard, durable, inert filn and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
Calcite	1317-65-3	0.1-1%	None	ОК	-		-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Silicic acid, Potassiu	um salt							
Silicic acid, potas- sium salt	1312-76-1	3-5%	H318, H335, H314, H315, H290, H319	ОК				If exposed to the respiratory system, skin and eyes, the substance can cause eye damage, skin burns, skin irritation, eye irritation and respira tory irritation, The factory's OH&S conditions and GGTI safety review indicates exposure i unlikely. The manufacturer has OHS and Envi ronmental policies in place. PPE is worn while handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appro priately as per local environmental policy. The manufacturer is ISO14001 certified. The tie 1 supplier is ISO45001 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user Recycled Content: None
								Nanomaterials: Unknown



		product	Category			Assessment		
Proprietary	Additive	0.1-0.5%	H350, H304, H372, H361	ОК				If exposed to the respiratory system, skin, and eyes, the substance may cause cancer and dam- age the organ. It is also suspected of damaging fertility. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
Proprietary	Additive	0.1-0.2%	H350, H304, H372, H361	ОК				If exposed to the respiratory system, skin, and eyes, the substance may cause cancer and dam- age the organ. It is also suspected of damaging fertility. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
Binder								
Proprietary	Binder	0.1-1%	None Declared	ОК	_	-	-	No Comment Recycled Content: None Nanomaterials: Unknown
Water	7732-18-5	0.1-1%	None	ОК	-	-	_	No Comment Recycled Content: None Nanomaterials: Unknown
will have different		_	-		coloring agent	contains pigm	ent and other s	ubstances, and different coloring agents



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Proprietary Pigment for Aonicolor C MM Aagenta	Pigment	1-5%	H412	ОК				If exposed to the aquatic environment, the sub- stance may be harmful to aquatic life. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. Recycled Content: None Nanomaterials: Unknown
Proprietary Pig- nent for Coltec C /S Red Oxide	Pigment	5-10%	IARC3, H319 , H411	ОК				If exposed to the eyes, the substance can cause eye irritation. It is also toxic to the aquatic en- vironment. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user Recycled Content: None Nanomaterials: Unknown
Proprietary Pig- nent for Coltec C 5 Black Oxide	Pigment	1-5%	H252, H251, H315, H319, H335	ОК				If exposed to the respiratory system, skin, and eyes, the substance can cause skin, eyes, and respiratory irritation. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterway: or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tie 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown



10 Product Health Declaration

Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Proprietary Pig- ment for Coltec C KU White	Pigment	5-10%	IARC 2B, H351	ОК			_	If exposed to the respiratory system, the sub- stance is suspected of causing cancer. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, and ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user Recycled Content: None Nanomaterials: Unknown
Proprietary Pig- ment for Coltec B MH Yellow HC	Pigment	5-10%	H318, H315	ОК				If exposed to the skin and eyes, the substance can cause skin irritation and eye damage. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
Proprietary Pig- ment for Coltec C PS Green	Pigment	1-2%	None	ОК	_		-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Proprietary Pig- ment for Coltec C RS Blue HC	Pigment	5-10%	None	ОК	_	_	-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Proprietary Pig- ment for Coltec C HS Blue Cobalt	Pigment	5-10%	H315, H319, H335	ОК				If exposed to the respiratory system, skin, and eyes, the substance can cause skin, eyes, and respiratory irritation. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, and ISO45001 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user.
Proprietary Pig- ment for Coltec C GS Green Oxide	Pigment	5-10%	H317, H319, H332, H360	ОК				Recycled Content: None Nanomaterials: Unknown If exposed to the respiratory system, skin, and eyes, the substance can cause eye irritation and skin sensitization, and damage fertility. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, and ISO45001 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
Proprietary Pig- ment for Coltec B QH Yellow HC	Pigment	5-10%	H319, H315	ОК		_		If exposed to the skin, and eyes, the substance can cause skin and eye irritation. The factory's OH&S conditions and GGTI safety review indicates exposure i unlikely. The manufacturer has OHS and Envi rommental policies in place. PPE is worn whili handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appro priately as per local environmental policy. The manufacturer is ISO14001 certified. The tie 1 supplier is ISO9001, ISO45001, annd ISO45007 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert filn and will not present a significant hazard to the end-user Recycled Content: None Nanomaterials: Unknown



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
								If exposed to the skin, the substance can cause skin sensitization, and it is also toxic to the aquatic environment.
								The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy.
Proprietary Pig- ment for Coltec B VH Red HC	Pigment	1-5%	H317, H413	ОК	_	-	-	The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified.
								In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal.
								Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user.
								Recycled Content: None Nanomaterials: Unknown
								Prolonged or repeated exposure to the sub- stance through the respiratory system may cause damage to the organ.
								The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy.
Proprietary Pig- ment for Coltec C IS Yellow BIVA	Pigment	5-10%	H373	ОК		_		The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified.
								In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal.
								Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user.
								Recycled Content: None Nanomaterials: Unknown
								If exposed to the respiratory system, the sub- stance is suspected of causing cancer.
								The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy.
Proprietary Pig- ment for Coltec C XS Black	Pigment	1-2%	IARC 2B, H351	ОК	_	_		The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified.
								In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal.
								Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user.
								Recycled Content: None Nanomaterials: Unknown



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Proprietary Pig- ment for Coltec C	Pigment	5-10%	None	ОК				Their is no identifiable risk to end user
TS Yellow oxide	J							Recycled Content: None Nanomaterials: Unknown
Proprietary Pig- ment for Coltec C	Pigment	1-2%	None	ОК		_		Their is no identifiable risk to end user
LS Blue	J							Recycled Content: None Nanomaterials: Unknown
Ranges of other su the substances bel		ll the pigments a	assessed. Each pig	ment does not r	necessarily con	sist of every sin	gle substance b	elow, but it will have some combination c
Dua a viata v	Column	1 20/	Nega	OK	_	_		Their is no identifiable risk to end user
Proprietary	Solvent	1-2%	None	OK				Recycled Content: None Nanomaterials: Unknown
								If exposed to the respiratory system, the substance can cause respiratory irritation.
Proprietary	Anti-freeze agent	1-2%	H335	ОК				The factory's OH&S conditions and GGTI safety review indicates exposur is unlikely. The manufacturer has OHS an Environmental policies in place. PPE is wor while handling hazardous substance Hazardous waste will not be disposed of in th waterways or environment but will be dispose of appropriately as per local environment policy.
								In use, PPE such as gloves, masks, safety glasse and boots are recommended during pair application and removal.
								Once applied and dried, this substance will be incorporated into a hard, durable, inert fill and will not present a significant hazard to the end-user
								Recycled Content: None Nanomaterials: Unknown
								If exposed to the respiratory system, skin, an eyes, the substance can cause eye damag skin sensitization, and damage to the organ. is also toxic if inhaled and toxic to the aquat environment.
Propriotory	Water Soluble	0.01-0.1%	H400, H318, H302, H332,	ОК				The factory's OH&S conditions and GGTI safety review indicates exposure unlikely. The manufacturer has OHS and Env ronmental policies in place. PPE is worn whi handling hazardous substances. Hazardoo waste will not be disposed of in the waterway or environment but will be disposed of appro priately as per local environmental policy.
Proprietary	preservatives	0.01-0.1%	H317, H410, H331, H372	ŬK		_		The manufacturer is ISO14001 certified. The tid 1 supplier is ISO9001, ISO45001, annd ISO4500 certified.
								In use, PPE such as gloves, masks, safety glasse and boots are recommended during paint ap plication and removal.
								Once applied and dried, this substance will b incorporated into a hard, durable, inert fill and will not present a significant hazard to th end-user
								Recycled Content: None Nanomaterials: Unknown
14/- 4	7722 10 5	5 100/	New	014				Their is no identifiable risk to end user
Water	7732-18-5	5-10%	None	OK				Recycled Content: None Nanomaterials: Unknown



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Proprietary	Surfactant	0.1-1%	H318, H412	ОК				If exposed to the eyes, the substance can cause eye damage. It is also toxic to the aquatic environment. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Environmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appropriately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint application and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None
								Nanomaterials: Unknown Their is no identifiable
Proprietary	Filler	1-2%	None	ОК	-		-	risk to end user Recycled Content: None Nanomaterials: Unknown
Proprietary	Filler	1-2%	None	ОК	-	-	-	Their is no identifiable risk to end user Recycled Content: None Nanomaterials: Unknown
Proprietary	Surfactant	0.1-1%	H318, H315	ОК				If exposed to the skin and eyes, the substance can cause skin irritation and eye damage. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
	Emulsifier	0.1-1%	None	ОК				No Comment Recycled Content: None



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Proprietary	Dispersant	0.1-1%	H318, H315	ОК		_		If exposed to the skin and eyes, the substance can cause skin irritation and eye damage. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterway: or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tie 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user Recycled Content: None
								Recycled Content: None Nanomaterials: Unknown If exposed to the respiratory system, ingested
Proprietary	Solvent	0.1-1%	H361	ОК		_		or in contact with skin, the substance is suspect ed to damage fertility. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi ronmental policies in place. PPE is worn while handling hazardous substances. Hazardou: waste will not be disposed of in the waterway: or environment but will be disposed of appro priately as per local environmental policy. The manufacturer is ISO14001 certified. The tie 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown
Proprietary	Surfactant	0.1-1%	H318	ОК				If exposed to the eyes, the substance can causi skin and eye damage. The factory's OH&S conditions and GGTI safety review indicates exposure i unlikely. The manufacturer has OHS and Envi ronmental policies in place. PPE is worn while handling hazardous substances. Hazardou waste will not be disposed of in the waterway or environment but will be disposed of appropriately as per local environmental policy. The manufacturer is ISO14001 certified. The tie 1 supplier is ISO9001, ISO45001, annd ISO4500 certified. In use, PPE such as gloves, masks, safety glasses and boots are recommended during paint ap plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown



Ingredient Name	CAS Number or Function	Proportion in Finished product	GHS, IARC and Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Proprietary	Solvent	0.1-1%	H361	ОК		_		If exposed to the respiratory system, ingested, or in contact with skin, the substance is suspect- ed to damage fertility. The factory's OH&S conditions and GGTI safety review indicates exposure is unlikely. The manufacturer has OHS and Envi- ronmental policies in place. PPE is worn while handling hazardous substances. Hazardous waste will not be disposed of in the waterways or environment but will be disposed of appro- priately as per local environmental policy. The manufacturer is ISO14001 certified. The tier 1 supplier is ISO9001, ISO45001, annd ISO45001 certified. In use, PPE such as gloves, masks, safety glasses, and boots are recommended during paint ap- plication and removal. Once applied and dried, this substance will be incorporated into a hard, durable, inert film and will not present a significant hazard to the end-user. Recycled Content: None Nanomaterials: Unknown

IARC and GHS Classification notes:

- IARC2B: Possibly Carcinogenic to human
- IARC3: Not classifiable as to its carcinogenity to human
- H251: Self-heating substances 1
- H252: Self-heating substances 2
- H301: Acute toxicity, oral 3
- H302: Acute toxicity, oral 2
- H311: Acute toxicity, dermal 3
- H314: Skin corrosion/irritation 1
- H315: Skin corrosion/irritation 2
- H317: Skin Sensitization 1
- H318: Serious eye damage/eye irritation 1
- H319: Serious eye damage/eye irritation 2A H330: Acute toxicity, inhalation 1,2
- H331: Acute toxicity, inhalation 3
- H335: Specific target organ toxicity, single exposure; Respiratory tract irritation 3
- H351: Carcinogenicity 2
- H360: Reproductive toxicity 1A, 1B
- H361: Reproductive toxicity 2
- H372: Specific target organ toxicity, repeated exposure 1
- H373: Specific target organ toxicity, repeated exposure 2
- H400: Hazardous to the aquatic environment, acute hazard 1
- H411: Hazardous to the aquatic environment, long-term hazard 2
- H412: Hazardous to the aquatic environment, long-term hazard 3

Comments:

The product has been tested for ther TVOC and Formaldehyde emission. TVOC (DIN ISO 16000-6) : 10 μg/m³ Formaldehyde (DIN ISO 16000-3 $: < 2 \, \mu g/m^3$

