GLOBAL GREEN TAG INTERNATIONAL PTY LTD

PHD™
Product Health Declaration

Global GreenTag CertTM Certified
PLATINUM HEALTH
HealthRate™

Dulux Australia

EnvirO2 Interior Acrylic Sealer Undercoat

Dulux Enviro2 acrylic sealer undercoat has characteristics of low odour and low VOC emissions. This is a water-based prepcoat used mostly on interior surfaces. This acrylic paint can be used to undercoat plasterboards, masonry and interior timber in one coat.

Products/Ranges:	Dulux EnvirO2 Interior
Product Stages Assessed:	Material inputs, manufacturing, in-use
CSI Masterformat:	09 91 00 Painting
Licenced Site/s:	Victoria, Australia
Licence Number:	DUL:EI01:2023:PH
Licence Date:	31st December 2019
Valid To:	1st October 2025
Standard:	GGT International v4.0
Screening Date:	20th September 2023
PHD URL:	https://www.globalgreentag.com/certificate/2252/

PHD Summary	Inventory Threshold:	Inventory Method:
Percentage Assessed: 100%	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognized by WELL™ & LEED ® Material Transparency & Optimization credits included below:
- Meets Green Star ® 'Buildings v1.0' ~ Credit 9: Responsible Finishes; Credit 13: Exposure to Toxins, and, meets 'Design & As Built v1.3' and 'Interiors v1.3' Indoor Pollutants.
- Meets IWBI ® WELL™ v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for Feature 04 (Part 1) and, meets IWBI ® WELL™ v2.0 as Recognized for X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for X01 (Part 3); X06 (Part 1); X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED ® v4.0 and v4.1 Rating Tool Credit, MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Highly unlikely worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK ASSESSMENT, & IN USE HEALTH, % by mass.

ASSESSMENT:



Declared by:
Global GreenTag International Pty Ltd

David Baggs
CEO

Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

i. substances used or created during the manufacturing process unless they remain in the final product; or

ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED ® v4.0 & v4.1, WELL ® v1.0 & v2.0, Green Star ®, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.

Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Binder								
Tylose	Binder	0.1-1%	None	OK				No identifiable risk to end user. Recycled Content: None Nano Materials: No
Aqueous dispersion of polymer								
Proprietary	Polymer	10-20%	H330, H310 H301, H314 H318, H317 H400, H410	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
2-methyl-2H-iso-thiazol-3-one	2682-20-4	<0.1%	H330, H311 H301, H314 H318, H317 H400, H410	OK				Once applied the aqueous dis-persion of polymer together with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of thepaint will be of little con-cern as they are expected to be inert Recycled Content: Unknown Nanomaterials: unknown
1,2-Benzisothi-azol-3(2H)-one	2634-33-5	<0.1%	H315, H318 H317, H400	OK				Once applied the aqueous dis-persion of polymer together with its preservatives/biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of thepaint will be of little con-cern as they are expected to be inert Recycled Content: Unknown Nanomaterials: unknown
Additive								
Neutralizing Amine	Additive	0.1-1%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Foam Control								
White mineral oil (petroleum)	8042-47-5	0.1-1%	H304	OK				Once applied, this Foam control will be incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Precipitated syn-thetic amorphous silica	112926-00-8	<0.1%	H330, H372, H332, H318, H335	OK				The ingredient can cause hazard risk on skin, respiratory systems and eye if exposed to longer period. The OHS policies in place reduce the risk associated with handling these chemicals.Also EMS policies in Dulux Factory reduce its harm to environment. Recycled Content: Unknown Nanomaterials: unknown
Diethylenetri-amine	111-40-0	<0.1%	H312, H302, H314, H317	OK				Once applied, this ingredient in the foam control will be incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Proprietary	Additive	0.1-1%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Thinner								

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Isobutyric acid, monoester with 2,2,4-trimethyl-pentane-1,3-diol	25265-77-4	0.1-1%	H319, H315, H335 , H412	OK				Thinner solvents present risk such as VOC to indoor air quality however, as noted from the total voc of the final product, this is lower than the limits set by the GBCA and LEED. In terms of chronic exposure risks, this is minimised because when the paint is applied and dried, the inert nature of thinner does not present any health risk. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Proprietary	Additive	<0.1%	None	OK				Thinner aaditives - In terms of chronic exposure risks, this is minimised because when the paint is applied and dried, the inert nature of thinner does not present any health risk. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Tripropylene Glycol								
[(methylethylene) bis(oxy)]dipropanol	24800-44-0	0.1-1%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Oxydipropanol	25265-71-8	<0.1%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Modifier								
Non-ironic urethane	Rheology modifier	0.1-1%	None	OK				Once applied, this rheology modifier will be incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Dispersant								
polycarboxylic acid	Waterborne pigment dispersant	0.1-1%	None	OK				Once applied, this dispersant will be incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Pigment								
Opaque Polymer	Polymeric pigment	1-5%	None	OK				Once applied, this opaque polymer pigment will be incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Water								
Dosed Water	Diluent	20-30%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: no
Surfactant								
Non ionic surfactant	Surfactant	0.1-1%	H400	OK				Outcome: Paint label instructions detail that " Do not contaminate storm water with paint or paint washings, Do not pour left over paint down the drain. Unwanted paints should be brushed out on newspaper, allowed to dry and disposed of via domestic waste collections. No identifiable risk to end user. Recycled Content: None Nano Materials: Unknown
Calcium Carbonate								

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Limestone	Extender	15-30%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: Yes
Pigment								
Kaolin	Mineral pigment	1-5%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: Yes
Talc								
Quartz	14808-60-7	0.1-1%	H350, H373	OK				Once applied the notified ingredient together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nanomaterials: Yes
Proprietary	Filler	5-10%	None	OK				Once applied the notified ingredient together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nanomaterials: Yes
Additive								
Industrial Micro-biocide	Biocide	0.1-1%	None	OK				Once applied, this biocide will be incorporated in hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: no
Opaque Polymer								
1,2-benzisothi-azol-3(2H)-one; 1,2-benzisothi-azolin-3-one	2634-33-5	0.01-1%	H315, H318 H317, H400	OK				Once applied the notified polymer together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No
2-methylisothi-azol-3(2H)-one	2682-20-4	0.01-1%	H330, H311, H314, H400	OK				Once applied the notified polymer together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
reaction mass of 5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	0.01-1%	H330, H314 H400	OK				Once applied the notified polymer together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No
Proprietary	Industrial use	1-5%	None	OK				No identifiable risk to end user. Recycled Content: None Nano Materials: No
Binder								
Proprietary	Binder	0.1-1%	None	OK				Once applied, this binder will be incorporated in hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: no
Pigment								
Titanium dioxide	13463-67-7	10-20%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: Yes

GHS H-statements below:

H304 (Fatal if swallowed)
H311 (Toxic skin contact)
H314(skin/eye damage)
H315 (Skin irritation)
H317 (Allergic skin reacion)
H318(Eye damage)
H317(Allergic skin reaction)
H330 (Fatal if inhaled)
H350 (May cause cancer)
H373 (May cause organ damage)
H400 (Very toxic to aquatic life)

Comments:

VOC content: VOC g/L for Dulux Enviro2 Interior ASU applied on site is < 1g/L ready to use product calculated in accordance with the stated methodology within Green Star technical manual. The TVOC content of the 'ready-to-use' paint shall be theoretically calculated as the sum total of VOCs of each of the raw material components comprising the paint. Calculations submitted on 26/09/2023 by Dulux Australia.