




The Laminex Group Particleboard Flooring


Particleboard Flooring is a three layered particleboard, bonded with moisture resistant resin and wax, specifically formulated for use as interior flooring, including termite Treated options.

Products/Ranges:	Particleboard Flooring
Product Stages Assessed:	Whole of life + In-Use
Product Type:	Particleboard
CSI Masterformat:	06 16 00
Licenced Site/s:	Dardanup, Gympie-Monkland
Licence Number:	TLG:EW07:2023:PH
Licence Date:	08 May 2023
Valid To:	08 May 2025
Standard:	GGT International v4.0
Screening Date:	16th March 2023
PHD URL:	https://www.globalgreentag.com/certificate/2445/



PHD Summary	Inventory Threshold:	Inventory Method:
Percentage Assessed: 100%	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognised by WELL™ & LEED® Material Transparency & Optimization credits included below:
- Meets Green Star® 'Buildings v1.0' as Recognized for Credit 9: Responsible Finishes; as a Compliant Technical Document (Audited) for Credit 13: Exposure to Toxins.
- Meets IWBI® WELL™ v1.0 as Recognized for Feature 26 (Part 1), Feature 97 (Part 1), Feature 04 (Part 5) and, meets IWBI® WELL™ v2.0 as a Compliant Technical Document (Audited) for X06 (Part 2), X07 (Part 1,3) and X08 (Part 1).
- Meets USGBC LEED® v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP -REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by:
Global GreenTag
International Pty Ltd

David Baggs
CEO

Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED[®] v4.0 & v4.1, WELL[®] v1.0 & v2.0, Green Star[®], the following information is declared from the audit:



















Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2.

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Substrate								
Wood Fibre	Filler	80-95%	NONE	OK				<p>Inhaled wood fibre can cause lung cancer under long term occupational exposure. The manufacture follows occupational health and safety and environmental management systems are in place. Due to this conditions, occupational exposure is very unlikely to occur. In use, the product poses no health risks.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Melamine Urea Formaldehyde Resin	25036-13-9	0-5%	NONE	OK				<p>Dardanup is ISO 9001, 14001 & 45001 certified.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Urea	57-13-6	0-5%	H315 (Skin contact) H317 (Skin contact)	OK				<p>The substance may cause damage when in contact with skin.The final concentration of the substance is very low and also it does not have direct impact on end-user.</p> <p>Hence, the substance is completely inert and unlikely to cause hazard to end-user.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified and also has OHS policy which ensure safe handling of chemicals which reduce hazard to workers.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Formaldehyde	50-00-0	0-1%	H311 (Toxic to skin) H314 (Skin and eye damage) H317 (Skin reaction) H330 (Fatal if inhaled) H350 (Cancerous) H341 (Genetic defects)	OK				<p>The substance may cause damage when in contact with eye/skin.It can irritate lungs if inhaled.The final concentration of the substance is very low and also it does not have direct impact on end-user.</p> <p>Hence, the substance is completely inert and unlikely to cause hazard to end-user.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified and also has OHS policy which ensure safe handling of chemicals which reduce hazard to workers.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
water	7732-18-5	0-5%	NONE	OK				<p>Dardanup is ISO 9001, 14001 & 45001 certified.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Binder								
Diphenylmethanediisocyanate	9016-87-9	0-1%	H315 (Skin contact) H317 (Skin contact) H319 (Eye irritation) H332 (Harmful if inhaled) H334 (Allergy/Asthma if inhaled) H335 (Respiratory irritation) H351 (Cancerous) H373 (Organ damage)	OK				<p>The substance may cause damage when in contact with eye/skin.The final concentration of the substance is very low and also it does not have direct impact on end-user.</p> <p>Hence, the substance is completely inert and unlikely to cause hazard to end-user.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified and also has OHS policy which ensure safe handling of chemicals which reduce hazard to workers.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: no</p>

4,4'-methylenediphenyl diisocyanate	101-68-8	0-1%	H315 (Skin contact) H317 (Skin contact) H319 (Eye irritation) H332 (Harmful if inhaled) H334 (Allergy/Asthma if inhaled) H335 (Respiratory irritation) H351 (Cancerous) H373 (Organ damage)	OK				<p>The substance may cause damage when in contact with eye/skin. The final concentration of the substance is very low and also it does not have direct impact on end-user.</p> <p>Hence, the substance is completely inert and unlikely to cause hazard to end-user.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified and also has OHS policy which ensure safe handling of chemicals which reduce hazard to workers.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Diphenylmethane-2,4'- diisocyanate	5873-54-1	0-1%	H315 (Skin contact) H317 (Skin contact) H319 (Eye irritation) H332 (Harmful if inhaled) H334 (Allergy/Asthma if inhaled) H335 (Respiratory irritation) H351 (Cancerous) H373 (Organ damage)	OK				<p>The substance may cause damage when in contact with eye/skin. The final concentration of the substance is very low and also it does not have direct impact on end-user.</p> <p>Hence, the substance is completely inert and unlikely to cause hazard to end-user.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified and also has OHS policy which ensure safe handling of chemicals which reduce hazard to workers.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Isocyanic acid, poly-methylenepolyphenylene ester, polymer with .alpha.-methyl-omega.-hydroxypoly(oxy-1,2-ethanediy)	70644-56-3	0-1%	H315 (Skin contact) H317 (Skin contact) H319 (Eye irritation) H332 (Harmful if inhaled) H334 (Allergy/Asthma if inhaled) H335 (Respiratory irritation) H351 (Cancerous) H373 (Organ damage)	OK				<p>The substance may cause damage when in contact with eye/skin. The final concentration of the substance is very low and also it does not have direct impact on end-user.</p> <p>Hence, the substance is completely inert and unlikely to cause hazard to end-user.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified and also has OHS policy which ensure safe handling of chemicals which reduce hazard to workers.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Paraffin wax	Wax	0-5%	NONE	OK				<p>Dardanup is ISO 9001, 14001 & 45001 certified</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Citric acid	Catalyst	0-0.2%	H319 (Skin irritant) H315 (Skin contact) H335 (Respiratory irritation)	OK				<p>Dardanup is ISO 9001, 14001 & 45001 certified.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: No</p>
Sulphate of Ammonia	Catalyst	0-0.1%	H319 (Eye irritation) H315 (Skin contact) H335 (Resiratory irritation) H411 (Toxic to aquatic life) H336 (May cause Drowsiness/Dizziness) H314 (Skin/Eye damage) H371 (Organ damage)	OK				<p>The substance may cause damage when in contact with eye/skin. The final concentration of the substance is very low and also it does not have direct impact on end-user.</p> <p>Hence, the substance is completely inert and unlikely to cause hazard to end-user.</p> <p>Dardanup is ISO 9001, 14001 & 45001 certified and also has OHS policy which ensure safe handling of chemicals which reduce hazard to workers.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>
Cellulose Fibre	Filler	0-2%	NONE	OK				<p>Dardanup is ISO 9001, 14001 & 45001 certified.</p> <p>Their is no identifiable risk to end user. Recycled Content: Unknown Nanomaterials: n o</p>

Comments:

VOC emissions: Global GreenTag International Program Standard v4.0 Formaldehyde Content Supplementary Standard in accordance with requirements of the Green Building Council of Australia and LEEDv4, as updated from time to time.

VOC content: The total VOC test conducted by CETEC is in complaint to ASTM D5116 -2017 resulted in a mean less than 0.303 mg/m2/hr were the rate limit in complaint to Green Building Council of Australia/Green Star Design & As built v1.3 & Green Star Interiors v1.3 is less than or equal to 0.500mg/m2/hr.

Other relevant information as necessary mentioned.