



Zhejiang Hailide Flooring Co., Ltd.

PP Flooring 2.5-6.0mm

HALEAD PP flooring is a fire resistance floor, which also is anti-scratch/ anti-microbial/ stain-resistant and slip resistance R10. PP flooring is an upgrade resilient floor suitable for both residential and commercial using which has no plasticizer and halogen-free. PP floor, totally PVC Free, is a protection flooring, using food grade PP material. HALEAD PP floor includes Glue down and Click, which covers all range of regular flooring sizes.

PP Flooring 2.5-6.0mm Products/Ranges: **Product Stages Assessed:** Manufacturing + In-Use

Product Type: **Flooring CSI Masterformat:** TBC

Licenced Site/s: Zhejiang, China Licence Number: ZHF:PP01:2023:PH Licence Date: 20th November 2023 Valid To: 20th November 2025 Standard: GGT International v4.0 Screening Date: 8th November 2023

PHD URL: https://www.globalgreentag.com/certificate/2483/



Health**Rate**™



PHD Summary

Percentage Assessed:

Inventory Threshold: 100ppm Product Level

Inventory Method: Nested Materials



GreenTag Banned List Compliant.


GreenTag PHD recognized by WELL* & LEED* Material Transparency & Optimization credits included below:

Meets IWBI * WELL * v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for ~ Feature 04 (Part 3); Feature 25 (Part 1), and, meets IWBI* WELL* v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X01 (Part 1); X05 (Part 2); X06 (Part 2): X07 (Part 2): X08 (Part 1).

Meets USGBC LEED v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.

Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK ASSESSMENT, & IN USE HEALTH, % by mass.



Declared by: Global GreenTag International Pty Ltd



David Baggs CEO Verified compliant with: ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- i. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED * v4.0 & v4.1, WELL * v1.0 & v2.0, Green Star *, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical

 $Users \ must \ carry \ out \ their \ own \ investigations \ if \ they \ are \ concerned \ about \ specific \ medical \ conditions \ and \ the \ impact \ of \ certain \ products \ or \ ingredients \ in \ relation \ to \ specific \ medical \ concerns.$

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclo- sure	Risk Assess- ment	In Use Health Assessment	Comment
Resin 1 & 2								
Ethylene	74-85-1	1-5%	IARC 3 H336 (STOT SE 3)	ОК	_	_		This substance is an extremely flammable gas and may cause drowsiness or dizzines However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites an ISO 14001 and ISO45001 certified.
								Recycled Content: None Nanomaterials: n o
Propene; propylene	115-07-1	10-15%	IARC 3	OK			_	Recycled Content: None Nanomaterials: n o
Magnesium dihydroxide								
Magnesium hydroxide	1309-42-8	15-25%	None	ОК	_	_	_	Recycled Content: None Nanomaterials: n o
Calcium oxide	1305-78-8	0-1%	H318 (Eye Dam. 1) H335 (STOT SE 3 (Resp.) H315 (Skin Irrit. 2)	ОК	_	_	_	This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 an ISO45001 certified. so exposure to risk for end users is extremely low. Recycled Content: None Nanomaterials: n o
Water	7732-18-5	0-1%	None	ОК				Recycled Content: None Nanomaterials: n o
lron	7439-89-6	0-0.1%	None	OK	_		_	Recycled Content: None Nanomaterials: n o
Proprietary Substance	Residue	1-5%	None	OK				Recycled Content: None Nanomaterials: n o
Calcium carbonate								
Calcium carbonate	471-34-1	40-50%	H318 (Eye Dam. 1) H335 (STOT SE 3 (Resp.) H315 (Skin Irrit. 2)	OK	_		_	This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 ar ISO45001 certified. so exposure to risk for end users is extremely low. Recycled Content: None
Silicon dioxide	7631-86-9	0-1%	None	ОК	_	_	_	Nanomaterials: n o Recycled Content: None Nanomaterials: n o
Water	7732-18-5	0-0.1%	None	ОК		_		Recycled Content: None Nanomaterials: n o



Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclo- sure	Risk Assess- ment	In Use Health Assessment	Comment
Aluminium oxide	1344-28-1	0-1%	H302 (Acute Tox. 4) (Oral) H332 (Acute Tox. 4 (Inhalation) H351 (Carc. 2)	ОК				This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low.
Diiron trioxide	1309-37-1	0-0.1%	H411 (Aquatic Chronic 2)	OK	_	_	_	Recycled Content: None Nanomaterials: n o This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low. Recycled Content: None
Magnesium oxide	1309-48-4	0-1%	H319 (Eye Dam. 2A) H315 (Skin Irrit. 2) H410 (Aquatic Chronic 1), H317 (Skin Sens. 1) H335 (STOT SE 3 (Resp.)) H371 (STOT SE 2) H302 (Acute Tox. 4 (Oral)) H318 (Eye Dam. 1) H304 (Asp. Tox. 1) H361 (Repr. 2) H336 (STOT SE 3 (Narcotic Effect)), H400 (Aquatic Acute 1) H225 (Flam. Liq. 2) H373 (STOT RE 2) H332 (Acute Tox. 4 (Inhalation)) H334(Resp. Sens. 1) H411 (Aquatic Chronic 2)	ОК				This substance causes serious eye irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low. Recycled Content: None Nanomaterials: n o
Antioxidants								
Pentaerythritol tetrakis(3-(3,5-di-tert- butyl-4-hydroxyphenyl) propionate)	6683-19-8	0-1%	None	ОК				Recycled Content: None Nanomaterials: n o
Zinc stearate	557-05-1	0-1%	None	ОК				Recycled Content: None Nanomaterials: n o
Rosin, oligomers	65997-05-9	0-1%	None	ОК				Recycled Content: None Nanomaterials: n o
4-[(2,5-dichlorophenyl) azo]-N-(2,3-dihydro-2- oxo-1H-benzimidazol-5- yl)-3-hydroxynaphtha- lene-2-carboxamide	6992-11-6	0-1%	None	ОК				Recycled Content: None Nanomaterials: n o
Stearic acid	57-11-4	0-1%	None	ОК				Recycled Content: None Nanomaterials: n o



Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclo- sure	Risk Assess- ment	In Use Health Assessment	Comment
Ethene, homopolymer, oxidized	68441-17-8	0-1%	None	ОК		_		Recycled Content: None Nanomaterials: n o
Wear Layer								
Polypropylene	9003-07-0	5-10%	IARC 3	ОК	_	_		Recycled Content: None Nanomaterials: n o
Titanium dioxide	13463-67-7	0-1%	IARC 2B	ОК	_			This substance is suspected of causing cancer. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low. Recycled Content: None Nanomaterials: n o
Calcium carbonate	471-34-1	0-0.1%	H318 (Eye Dam. 1), H335 (STOT SE 3 (Resp.) H315 (Skin Irrit. 2)	ОК	_		_	This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low.
Epoxy Resin	38891-59-7	0-0.01%	H315 (Skin Irrit. 2) H317 (Skin Sens. 1) H319 (Eye Irrit. 2)	ОК		_		Recycled Content: None Nanomaterials: n o This substance causes serious eye damage. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so expo- sure to risk for end users is extremely low.
Print Layer								Nanomaterials: n o
Polypropylene	9003-07-0	1-5%	IARC 3	ОК	_			Recycled Content: None Nanomaterials: n o
Titanium dioxide	13463-67-7	0-1%	IARC 2B	OK	_		_	This substance is suspected of causing cancer. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low. Recycled Content: None
Calcium carbonate	471-34-1	0-0.1%	H318 (Eye Dam. 1) H335 (STOT SE 3 (Resp.) H315 (Skin Irrit. 2)	OK	_			Nanomaterials: n o This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low.
Epoxy Resin	38891-59-7	0-0.01%	H315 (Skin Irrit. 2) H317 (Skin Sens. 1) H319 (Eye Irrit. 2)	ОК				Recycled Content: None Nanomaterials: n o This substance causes serious eye damage. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so expo- sure to risk for end users is extremely low.
Proprietary Substance	Polyester polyol	0-0.1%	None	OK	_			Recycled Content: None Nanomaterials: n o Recycled Content: None Nanomaterials: n o



Proprietary Substance	Pigment	0-0.01%	None	OK				Recycled Content: None Nanomaterials: n o
Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclo- sure	Risk Assess- ment	In Use Health Assessment	Comment
Back Layer								
Polypropylene	9003-07-0	1-10%	IARC 3	ОК	_	_	_	Recycled Content: None Nanomaterials: n o
Ethene, homopolymer	9002-88-4	0-1%	IARC 3 H412 (Aquatic Chronic3) H335 (STOT SE 3 (Resp.)) H373 (STOT RE 2, Skin Irrit. 2) H315 (Resp. Sens. 1) H319 (Eye Dam. 2A) H317 (Skin Sens. 1)	ОК	_	_	_	This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer is ISO45001 and ISO14001 certified. All Hailide sites are ISO 14001 and ISO45001 certified. so exposure to risk for end users is extremely low. Recycled Content: None Nanomaterials: n o
Carbon black	1333-86-4	0-1%	IARC 2B	ОК				Recycled Content: None Nanomaterials: n o
Proprietary Substance	Synthetic resin	0-1%	IARC 3	ОК				Recycled Content: None Nanomaterials: n o

Comments:

TVOC concentration is less than 0.5 mg/m3 using test method ISO 16000-3:2011, ISO 16000-6:2011, ISO 16000-9:2006, ISO 16000-11:2006 (tested on 26/05/2021).

