



Ultra Premium Ultratrim® Acrylic Semi-Gloss

Haymes Paint Ultratrim Acrylic Semi-Gloss Paint is a water-based acrylic enamel paint for interior use. It can be used for internal and external applications including cupboards, doors, skirting trims and window frames and can be used on suitably prepared metal, timber and MDF wood.

Products/Ranges: Expressions® Acrylic Semi-Gloss Paint

Product Stages Assessed: Manufacturing + In-Use

Product Type: Paint CSI Masterformat: 09 90 00

Licenced Site/s: Mitchell Park, Australia
Licence Number: HAY:AT02:2024:PH
Licence Date: 1st March 2024
Valid To: 1st March 2026
Standard: GGT International v4.0
Screening Date: 20th September 2023

PHD URL: www.globalgreentag.com/certificate/2537





PHD Summary

ASSESSMENT:

Percentage Assessed:

100%

Inventory Threshold: 100ppm Product Level

Inventory Method:
Nested Materials

GreenTag Banned List Compliant.

GreenTag PHD recognized by WELL * & LEED * Material Transparency & Optimization credits included below:


Meets IWBI * WELL * v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for ~ Feature 04 (Part 1) and, meets IWBI * WELL * v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X01 (Part 3); X06 (Part 1); X07 (Part 2); X08 (Part 1).

Meets USGBC LEED * v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.

Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK ASSESSMENT, & IN USE HEALTH, % by mass. See over for explanation.

100%



Declared by: Global GreenTag International Pty Ltd



David Baggs CEO Verified compliant with: ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions):
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED * v4.0 & v4.1, WELL * v1.0 & v2.0, Green Star *, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assess- ment	In Use Health Assessment	Comment
Solvent		15-30%	None	ОК		_	_	This substance is not hazardous. Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Proprietary	Solvent	1-5%	None	OK		_	_	This substance has no hazards and is primary a solvent . It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Copolymer/ binder	1-5%	None declared	ОК				This substance is hazardous to the environment and skin. The manufacturing facility has WHS policy in place to reduce risks. It is a small proportion of the final product, minimising risk during installation. During use it is bonded and hardened and not identified as a hazard to users. Recycled Content: None Nano Materials: None
Ammonia%	stabiliser	0.01-1%	H314 (Skin Corr. 1B) H400 (Aquatic Acute 1)	ОК	_			This substance is hazardous due to its pl causes skin irritation. The manufacturing facility has WHS policy in place to reduce risks to workers. This is present is small quantities in the final product reducing risk during installation. The product is hardened once applied which removes the risk to users. Recycled Content: None Nano Materials: Unknown
Reaction mass of 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	Biocide	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2) H301 (Acute Tox. 3) H314 (Skin Corr. 1C) H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК	_	_	_	This substance is a biocide and is below the threshold of this assessment. It is necessary to extend the life of the produ and is present at levels deemed accept able by Global GreenTag and GBCA. Recycled Content: None Nano Materials: Unknown
2-methylisothi- azol-3(2H)-one	Biocide	<0.01%	H330 (Acute Tox. 2) H311 (Acute Tox. 3) H301 (Acute Tox. 3) H314 (Skin Corr. 1B) H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК		_		This substance is a biocide and is below the threshold of this assessment. It is necessary to extend the life of the produ and is present at levels deemed accept able by Global GreenTag and GBCA. Recycled Content: None Nano Materials: Unknown
Pigment								
Titanium dioxide	Pigment	15-30%	H350 (Carc. 2)					This substance is hazardous to inhale but occurs naturally and is present in the environment in high amounts. The manufacturing facility has WHS policy in place to reduce risks to workers. This is suspended in a liquid product reducing risks during installation. The product is hardened once applied and the material embedded minimising risk to users. Recycled Content: None Nano Materials: Unknown Recycled Content: No
Aluminium hydroxide	Pigment	0.01-1%	None	ОК				This substance has no declared hazards. has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Zirconium dioxide	Pigment	0.01-1%	None	OK		_	_	This substance has no declared hazards. has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown



Propylidynetrimethanol	Polymer	0.01-1%	H361 (Repr. 2)	OK	_	_		This substance is hazardous but is used in small amounts in this product. The manufacturing facility has WHS policy in place to reduce risks to workers. The product is hardened once applied and the substance is transformed in the final product to a non hazardous substance and is hardened minimising risk to users. Recycled Content: None Naterials: Unknown Recycled Content: No Nano Materials: Yes
Water	Moisture	0.01-1%	None	OK		_	_	This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Water	Solvent	30-50%	None				_	This solvent has no hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Acrylic Polymers	15-30%	None declared	OK	_			This polymer has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Ammonia%	stabilizer	0.01-1%	H314 (Skin Corr. 1B) H400 (Aquatic Acute 1)	OK	_		_	This substance is hazardous due to its pH causes skin irritation. The manufacturing facility has WHS policy in place to reduce risks to workers. This is present is small quantities in the final product reducing risk during installation. The product is hardened once applied which removes the risk to users. Recycled Content: None Nano Materials: Unknown
Proprietary	additive	0.01-1%	H330 (Acute Tox. 1) H373 (STOT RE 2)	OK	_		_	This substance is hazardous to the environment and skin. The manufacturing facility has WHS policy and EMS in place to reduce risks. It is a small proportion of the final product, reducing risks during installation and is bonded and not deemed hazardous when dry minimising risks to users. Recycled Content: None Nano Materials: None
2-methylisothi- azol-3(2H)-one	Biocide	0.01-1%	H330 (Acute Tox. 2) H311 (Acute Tox. 3) H301 (Acute Tox. 3) H314 (Skin Corr. 1B) H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H 400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК				This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
reaction mass of 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	Biocide	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2) H301 (Acute Tox. 3) H314 (Skin Corr. 1C) H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	OK				This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown



Limestone	1317-65-3	5-15%	H315 (Skin Irrit. 2) H318 (Eye Dam. 1) H319 (Eye Dam. 2A) H335 (STOT SE 3 (Resp.) H350 (Carc. 1B) H372 (STOT RE 1)	ОК				This substance is hazardous to inhale an to touch but occurs naturally and is present in the environment in high amounts. The manufacturing facility has WHS polic in place to reduce risks to workers. This is suspended in a liquid product reducing risks during installation. The product is hardened once applied and the material embedded minimising risk to users. Recycled Content: None Nano Materials: Unknown Recycled Content: No Nano Materials: Yes
Silicon dioxide	14808-60-7	0.01-1%	None	ОК	_			This substance is hazardous to inhale ar to touch but occurs naturally and is present in the environment in high amounts The manufacturing facility has WHS poli in place to reduce risks to workers. This i suspended in a liquid product reducing risks during installation. The product is hardened once applied and the material embedded minimising risk to users. Recycled Content: None Nano Materials: Unknown Recycled Content: No Nano Materials: Yes
Limestone	Filler	5-15%	H315 (Skin Irrit. 2) H318 (Eye Dam. 1) H319 (Eye Dam. 2A) H335 (STOT SE 3 (Resp.) H350 (Carc. 1B) H372 (STOT RE 1)		_			This substance is hazardous to inhale ar to touch but occurs naturally and is present in the environment in high amounts. The manufacturing facility has WHS poli in place to reduce risks to workers. This is suspended in a liquid product reducing risks during installation. The product is hardened once applied and the materia embedded minimising risk to users. Recycled Content: None Nano Materials: Unknown Recycled Content: No Nano Materials: Yes
Silicon dioxide	Filler	0.01-1%	None		_			This substance is hazardous to inhale a to touch but occurs naturally and is preent in the environment in high amount The manufacturing facility has WHS pol in place to reduce risks to workers. This suspended in a liquid product reducing risks during installation. The product is hardened once applied and the materia embedded minimising risk to users. Recycled Content: None Nano Materials: Unknown Recycled Content: No Nano Materials: Yes
Propane-1,2-diol	Solvent	0.01-1%	None	OK	_	_	_	This solvent has no hazards. It has no identifiable risks during manufacturing installation or use. Recycled Content: None Nano Materials: Unknown
Isobutyric acid, monoester with 2,2,4-trimethylpen- tane-1,3-diol	Coalescing agent	1-5%	None	ОК				This substance has no hazards. It has no identifiable risks during manufacturing installation or use. Recycled Content: None Nano Materials: Unknown



Residue	0.01-1%	H412 (Aquatic Chronic 3) H361 (Repr. 2)	ОК	_	_	_	This substance is hazardous to the environment and skin. The manufacturing facility has WHS policy and EMS in place to reduce risks. It is a small proportion of the final product, reducing risks during installation and is bonded and not deemed hazardous when dry minimising risks to users. Recycled Content: None Nano Materials: None
Residue	1-5%	H319 (Eye Dam. 2A)	ОК		_	_	This substance is hazardous to eyes. The manufacturing facility has WHS policy an EMS in place to reduce risks. It is a small proportion of the final product, reducing risks during installation and is bonded and not deemed hazardous when dry minimising risks to users. Recycled Content: None Nano Materials: Unknown
moisture	0.01-1%	None	ОК		_	_	This substance has no hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Defoamer							
Solvent	1-5%	None	OK		_		Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Defoamer	0.01-1%	None declared	ОК			_	This substance has no declared hazards. has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Defoamer	<1%	None declared	OK	_			This substance has no declared hazards. has no identifiable risks during manufa- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Solvent	<1%	None declared	OK				This substance has no declared hazards. has no identifiable risks during manufa- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Solvent	0.01-1%	H350 (Carc. 1B)	OK				Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
	Residue moisture Defoamer Solvent Defoamer Solvent	Residue 1-5% moisture 0.01-1% Defoamer 1-5% Defoamer 0.01-1% Defoamer <1% Solvent <1%	Residue 0.01-1% Chronic 3) H361 (Repr. 2) Residue 1-5% H319 (Eye Dam. 2A) moisture 0.01-1% None Defoamer Solvent 1-5% None Defoamer 0.01-1% None declared Defoamer <1% None declared Solvent <1% None declared	Residue 0.01-1% Chronic 3) H361 (Repr. 2) OK Residue 1-5% H319 (Eye Dam. 2A) OK moisture 0.01-1% None OK Defoamer OK OK Defoamer 0.01-1% None declared OK Defoamer <1%	Residue 0.01-1% Chronic 3) H361 (Repr. 2) OK Residue 1-5% H319 (Eye Dam. 2A) OK moisture 0.01-1% None OK Defoamer Solvent 1-5% None OK Defoamer 0.01-1% None declared OK Defoamer <1%	Residue 0.01-1% Chronic 3) H361 (Repr. 2) OK Residue 1-5% H319 (Eye Dam. 2A) OK moisture 0.01-1% None OK Defoamer Solvent 1-5% None OK Defoamer 0.01-1% None declared OK Defoamer <1%	Residue 0.01-1% Chronic 3) H361 (Repr. 2) OK Residue 1-5% H319 (Eye Dam. 2A) OK moisture 0.01-1% None OK Defoamer Solvent 1-5% None OK Defoamer 0.01-1% None declared OK Defoamer <1%



Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]	Solvent	0.01-1%	H350 (Carc. 1B)	ОК				Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Silicon dioxide	Stabiliser	0.01-1%	None	ОК				Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Proprietary	Additive	0.01-1%	None declared	ОК	_			Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Surfactant								
1-Heptanol, 2-propyl- , 7EO	Surfactant	0.01-1%	H318(Eye Dam. 1) H302 Acute Tox. 4 (Oral)) H315 (Skin Irrit. 2) H319 (Eye Dam. 2A) H335 (STOT SE 3 (Resp.)) H411 (Aquatic Chronic 2) H412 (Aquatic Chronic 3)	ОК	_	_		This substance is hazardous to eyes skin and lungs. The manufacturing facility has WHS policy in place to minimise risks. It is suspended in the paint and is a small proportion of the final product, reducing risks during installation. Users are not expected to be exposed to risks as the substance is embedded in the hardened product during use. Recycled Content: None Nano Materials: None
Proprietary	Solvent	<1%	None declared	ОК		_		This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Surfactant								
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydroxy-	Surfactant	0.01-1%	H318 (Eye Dam. 1) H302 (Acute Tox. 4 (Oral)) H315 (Skin Irrit. 2) H319 (Eye Dam. 2A) H412 (Aquatic Chronic 3)		_	_	_	This substance is hazardous to eyes skin and lungs. The manufacturing facility has WHS policy in place to minimise risks. It is suspended in the paint and is a small proportion of the final product, reducing risks during installation. Users are not expected to be exposed to risks as the substance is embedded in the hardened product during use. Recycled Content: None Nano Materials: None
Proprietary	Filler	0.01-1%	None declared	ОК	_		_	This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Dispersant								
water	Solvent	0.01-1%	None	OK				This substance has declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
								This substance has no declared hazards. It has no identifiable risks during manufac-



ammonia%	pH modifier	<0.01%	H314 (Skin Corr. 1B) H400 (Aquatic Acute 1)	ОК				This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Additive								
2-amino-2-methylpro- panol	Dispersant	0.01-1%	H315 (Skin Irrit. 2) H319 (Eye Irrit. 2) H412 (Aquatic Chronic 3)	OK				This substance is hazardous to the skin eyes and the environment. The manufacturing facility has WHS policy in place to minimise risks. It is chemically transformed and is a small proportion of the final product, reducing risks during installation. Users are not expected to be exposed to risks as the product is hardened in use. Recycled Content: None Nano Materials: None
1-Propanol, 2-meth- yl-2-(methylamino)-	Residue	0.01-1%	H315 (Skin Irrit. 2) H319 (Eye Dam. 2A) H302 (Acute Tox. 4 (Oral)) H412 (Aquatic Chronic 2) H318 (Eye Dam. 1) H412 (Aquatic Chronic 3) H335 (STOT SE 3 (Resp.))	ОК				This substance is hazardous to the skin eyes and the environment. The manufacturing facility has WHS policy in place to minimise risks. It is chemically transformed and is a small proportion of the final product, reducing risks during installation. Users are not expected to be exposed to risks as the product is hardened in use. Recycled Content: None Nano Materials: None
water	Solvent	<0.01%	None	OK			_	This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
	Rheology additive							
Proprietary	Solvent	<0.01%	None declared	OK	_		_	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Rheology Agent	0.01-1%	H302 (Acute Tox. 4 (Oral))	ОК			_	This substance is declared to be hazardous in its raw form. The manufacturing facility has WHS policy in place to mitigate risks. Once in the product, it bonds to form a plastic which is not expected to be hazardous during installation. Once applied the product hardened and is not expected to present a risk of exposure to users. Recycled Content: None Nano Materials: None
1,2-benzisothi- azol-3(2H)-one; 1,2-ben- zisothiazolin-3-one	Biocide	<0.01%	H302 (Acute Tox. 4) H315 (Skin Irrit. 2) H318 (Eye Dam. 1) H317 (Skin Sens. 1) H400 (Aquatic Acute 1)	OK				This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Rheology modifier								
Water-soluble cellulose ether	Rheological modifier	0.01-1%	None declared			_	_	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown



Proprietary Substances	Rheological modifier	0.01-1%	None declared	OK	_	_	_	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Water	Rheological modifier	0.01-1%	None	ОК		_	_	This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
water	Solvent	0.01-1%	None	ОК		_	_	This substance has declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Polyure- thane resin	0.01-1%	None declared	ОК		_	_	This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Modified Starch	0.01-1%	None declared					This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Reaction mass of 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	Biocide	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2) H301 (Acute Tox. 3) H314 (Skin Corr. 1C) H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК				This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Water	Solvent	1-5%	None	ОК	_	_	_	This substance has declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Polyure- thane resin	0.01-1%	None declared	ОК		_	_	This substance has no declared hazards. It has no identifiable risks during manufac- turing, installation or use. Recycled Content: None Nano Materials: Unknown
Reaction mass of 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	Biocide	<0.01%	Acute Tox. 2 Acute Tox. 2 Acute Tox. 3 Skin Corr. 1C Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1	ОК				This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Water	Solvent	0.01-1%	None	ОК				This solvent has no hazards with no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown



1,2-benzisothi- azol-3(2H)-one; 1,2-ben- zisothiazolin-3-one	Biocide	0.01-1%	H302 (Acute Tox. 4) H315 (Skin Irrit. 2) H318 (Eye Dam. 1) H317 (Skin Sens. 1) H400 (Aquatic Acute 1)	ОК			This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is a small proportion of the final product and is not expected to be ingested, reducing risks during installation. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Proprietary	Additive	<0.01%	None declared	ОК	_	_	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown

WHS - Workplace Health and Safety GBCA - Green Building Council Australia EMS - Environmental Management System VOC - Volatile Organic Compounds

Comments: This product's VOC content has been theoretically calculated to be 44.1 - 48.5g / L by Haymes Paints on the 28th November 2022 using the calculation method prescribed by Green Building Council Australia.

