



Global GreenTagEPD Program:  
Compliant to EN15804+A2 2019



**Laboratory Compact Laminate**  
**16mm and 13mm Chemical Resistant**  
332 Bay Rd, Cheltenham  
Victoria 3192, Australia

**Laminex**<sup>®</sup>

Mandatory Disclosures

<b>EPD type</b>	Cradle to grave A1-C4 +D	<b>Issue Date</b>	29 July 2023
<b>Product Range</b>	Compact Laminate	<b>Valid Until</b>	29 July 2028
<b>EPD Number</b>	LGLP01 2023EP		LGLP02 2023EP
<b>Code Name</b>	Chemical Resistant 16mm		Chemical Resistant 13mm
<b>Product Photograph</b>			
<b>Demonstration of Verification</b>			
<b>PCR</b>	Standard EN 15804+A2 2019 serves as core Product Category Rules (PCR) [1]. Fitted Cabinetry Sub-PCR FIC:2023 applies [2].		
<input checked="" type="checkbox"/> <b>Internal</b>	<p><i>Delwyn Jones</i> LCA Developed by Delwyn Jones, The Evah Institute</p> <p><i>Direshni Naiker</i> 25.07.2023 LCA Reviewed by Direshni Naiker The Evah Institute</p> <p><i>David Baggs</i> 20/12/2023 EPD Reviewed by David Baggs, Global GreenTag International Pty Ltd</p>		
<input checked="" type="checkbox"/> <b>External</b>	<p><i>amm Vlieg</i> Third Party Verifier<sup>a</sup> Mathilde Vlieg Malaika LCT</p> <p>a. Independent external verification of the declaration and data, mandatory for business-to-consumer communication according to ISO 14025:2010 [2].</p>		
<b>Communication</b>	This EPD discloses potential environmental outcomes compliant with EN 15804 for business-to-business communication.		
<b>Comparability</b>	Construction product EPDs may not be comparable if not EN15804 compliant. Different program EPDs may not be comparable. Comparability is further dependent on the product category rules and data source used.		
<b>Reliability</b>	LCIA results are relative expressions that do not predict impacts on category endpoints, exceeding of thresholds, safety margins or risks.		
<b>Owner</b>	This EPD is the property of the declared manufacturer.		
<b>Explanations</b>	Further explanatory information is available at <a href="mailto:info@globalgreentag.com">info@globalgreentag.com</a> or by contacting <a href="mailto:epd@globalgreentag.com">epd@globalgreentag.com</a> [3].		

EPD Program Operator	LCA and EPD Producer	Declaration Owner
Global GreenTag International Pty Ltd L38, 71 Eagle St., Brisbane City QLD 4000 Australia Phone: +61 (0)7 33 999 686 <a href="http://www.globalgreentag.com">http://www.globalgreentag.com</a>	Ecquate Pty Ltd PO Box 123 Thirroul NSW 2515 Australia Phone: +61 (0)7 5545 0998 <a href="http://www.ecquate.com">http://www.ecquate.com</a>	Laminex Industries 90-94 Tram Road, Doncaster VIC 3108 Australia Phone: 132 136 <a href="http://www.laminex.com.au">http://www.laminex.com.au</a>





**Program Description**

<b>EPD type</b>	Cradle to grave A1 to C4 + D as defined by EN 15804 [1]																		
<b>System boundary</b>	The system boundary with nature includes material and energy acquisition, processing, manufacture, transport, installation, use plus waste arising to end of life.																		
<b>Stages included</b>	Stages A1-3 A4-5, B1-4, C1 to C2 and C4 D1 to D3																		
<b>Stages excluded</b>	No stage was excluded but flows and results for B5-B7, C3 and D3 were all zero.																		
<b>Scope Depiction</b>	Figure 1 depicts all modules being declared including some with zero results. Any module not declared (MND) does not indicate a zero result.																		
<b>Model</b>	Actual Scenarios Potential																		
<b>Information</b>	Building Life Cycle Assessment Supplementary																		
<b>Stages</b>	Product			Construct		Use							End-of-Life			Benefit & load beyond system			
<b>Data Modules</b>						Fabric					Operate								
<b>Unit Operations</b>	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D1	D2	D3
<b>Cradle to Gate+ Options &amp; Grave</b>	Resources	Transport	Manufacture	Transport	Construct	Use	Maintain	Repair	Replace	Refurbish	Energy use	Water use	Demolish	Transport	Process Waste	Disposal	Reuse	Recovery	Recycling

Figure 1 EPD Life Cycle Modules Cradle to Grave

**Data Sources**

<b>Primary Data</b>	Data was collected from primary sources 2019 to 2022 including the manufacturer and suppliers' standards, locations, logistics, technology, market share, management system in accordance with EN ISO 14044:2006, 4.3.2, [4]. All are biochemical-physical allocated none are economically allocated.
<b>A1-A3 Stage inclusions</b>	Operations include all known raw material acquisition, refining, processing plus scrap or material reuse from prior systems; electricity generated from all sources with extraction, refining & transport plus secondary fuel energy and recovery processes. Also, transport to factory gate; manufacture of inputs, ancillary material, product, packaging, maintenance, replacement plus flows leaving at end-of-waste boundary and fate of all flows at end of life.
<b>Variability</b>	Significant differences of average LCIA results are declared.
<b>Chemicals of Concern</b>	Contains no substances in the European Chemicals Agency "Authorised or Candidate Lists of Substances of Very High Concern" (SVHCs).

**Data Quality**

Data cut-off & quality criteria complies with EN 15804 [1] The LCA used background data aged <10 years and quality parameters tabled below.

Background	Data Quality	Parameters and Uncertainty (U)			
<b>Correlation</b>	<b>Metric σ</b>	U ±0.01	U ±0.05	U ±0.10	U ±0.20
<b>Reliability</b>	<b>Reporting</b>	Site Audit	Expert verify	Region	Sector
	<b>Sample Including</b>	>66% trend	>25% trend	>10% batch	>5% batch
<b>Completion</b>	<b>Cut-off</b>	>50%	>25%	>10%	>5%
	<b>Data Age</b>	0.01%w/w	0.05%w/w	0.1%w/w	0.5%w/w
<b>Temporal</b>	<b>Duration</b>	<3 years	≤5 years	<7.5 years	<10 years
	<b>Typology</b>	>3 years	<3 years	<2 years	1 year
<b>Technology</b>	<b>Focus</b>	Actual	Comparable	In Class	Convention
<b>Geography</b>	<b>Range</b>	Process	Line	Plant	Corporate
	<b>Jurisdiction</b>	Continent	Nation	Plant	Line
		Representation is Global. Africa, North America, Europe, Pacific Rim			



## Product Information

The Laminex Group is a leading manufacturer, distributor and marketer of decor board and surfaces.

<b>Range Names</b>	Compact Laminate	
<b>Brand Name &amp; Code</b>	Chemical Resistant 16mm	Chemical Resistant 13mm
<b>Coverage</b>	23.2kg/m <sup>2</sup>	18.85kg/m <sup>2</sup>
<b>Factory warranty</b>	10years internal use only	
<b>Manufacturer address</b>	Laminex Industries 332 Bay Rd., Cheltenham VIC 3192 Australia	
<b>Site representation</b>	Australasia	
<b>Geographical Area</b>	Use and disposal as for Australasia	
<b>Application</b>	Benchtops and Cabinetry	
<b>Function in Building</b>	Benchtop, Cabinetry & Wall Linings	
<b>Lifetime [5,6]</b>	20 years Reference Service Life (RSL) [ISO 15686]	
<b>Declared unit</b>	Compact Chemical Resistant product in laboratories	
<b>Functional unit</b>	20 years internal use of declared product/kg cradle to grave	

## Product Components

This section summarises factory components, functions, source nation and % mass share. In product content listed below the % mass has a  $\pm 5\%$  range and a confidence interval that is 90% certain to contain true population means at any time. Listing such 90 $\pm 5\%$  certainty considers normal resource acquisition, supply chain, sedimentation, seasonal, manufacturing and product variation over this EPD's validity period. This also allows for intellectual property protection whilst ensuring fullest possible transparency.

Function	Component	Cradle	16mm%	13mm%
<b>Filler</b>	Cellulose Fibre	Global	>65 <66	>65 <66
<b>Binder</b>	Melamine Formaldehyde	Germany	>31 <32	>31 <32
<b>Binder</b>	Acrylate	Germany	>1.0 <2.0	>1 <1.5
<b>Other Agents</b>	Fire retardant, plasticiser, catalyst, biocide, wetting & release agents	Global	each <1.0	each <1.0
<b>Packaging</b>				
<b>Crate</b>	Timber	Australia		>3.0 <4.0
<b>Pallet</b>	Timber	Australia		>1.5 <2.0
<b>Wrapping etc</b>	Polymers	Global		>1.0 <1.5
<b>Coverboards</b>	Medium density fibreboard	Australia		>0.1 <0.2
<b>Straps &amp; Tape</b>	Polyester	Global		>0.05 <0.10

## Product Functional & Technical Performance Information

This section provides manufacturer specifications and additional information.

<b>Specifications, Maintenance, Fire, Safety &amp; Installation</b>	<a href="https://www.laminex.com.au/trade">https://www.laminex.com.au/trade</a>
<b>AS/NZS standard classification</b>	Group 3
<b>Panel dimensions length*width <math>\pm 10</math>mm</b>	3.6*1.5m or 3.6*0.75m
<b>VOC Specific Area Emission Rate</b>	0.5mg/m <sup>2</sup> /hr



Laboratory Compact Laminate

**System Analysis Scope and Boundaries**

Stages A1 to 3 model actual operations. Stage A4 to C4 are model scenarios.

Typical scenarios are assumed to forecast unit operations as described in the next section.

Figure 2. shows included processes in a cradle to grave system boundary to end of life fates to unshown beyond the boundary reuse, recycling or landfill grave.




Figure 2. Product Process Flow Chart

## Scenarios for Modules/Functional Unit

Stages A1 to A3 model actual operations. This section defines scenarios A4 to D3. C3 Waste Treatment has no flows.

Phase	Operation	Type specified	Amount	Type specified	Amount
A4 Transport	Transport to Site	25t semi-trailer	60 km	85% Capacity	Full back load
	Long distance road	25t semi-trailer	600km	85% Capacity	Full back load
	Continental freight rail	Diesel train	600km	85% Capacity	Full back load
	Container shipping	Factory to CBD	1,200km	85% Capacity	Full back load
	Volume capacity (<1 ≥1)	Utilisation factor	1	Uncompressed	Un-nested
A5 Construct	Ancillaries	Adhesive	0.025kg	Edge trim	0.0001kg
	Packing	Cardboard	0.005kg	Polymer	0.00001kg
	Water & Energy	Town water	0.5litre	Grid power	0.0002 MJ
	Waste on site	Trims	0.05kg	All packaging	As shown kg
	Scrap collection & route	25t semi-trailer	60 km	to landfill	In LCA report
	Emissions	Nil to air & water	0.0kg	All from landfill	In LCA report
B2 Maintain	Maker's specification	URL Declared	Specified	Clean cycle	Weekly
	Ancillaries	Wipes	Negligible	Detergent	0.007kgpa
	Surface Washdown	Town water	1.95kgpa	Net to drain	1.90kgpa
B3 Repair	Typical practice	Damaged parts	0.05kg	Worn parts	Same 5%
	Maker's specification	As per website	Specified	Freight to site	As A5
	Energy input & source	No excess	0.0MJpa	Packaging	As A5
C1 Demolish	Typical practice	Remove worn	0.05kg	Collect Separate	0.05kg
	Collection process	In site waste	0.40kg	Separate to reuse	0.0kg
C2 Transport	Typical practice	25t truck road	50km	85% capacity	No back load
C3 Waste Treatment	Typical practice	No waste treated	0.0kg	Not for energy	0.0kg
C4 Dispose	Typical practice	Product specific	0.05kg	Collect separately	0.05kg
	Typical practice	Worn to landfill	5%	All emissions	mass share
	Recovery system	No recycling	0.0kg	Not for energy	0.0kg
D1 Reuse	Typical practice	Reuse	95%	Patch 5%	0.05kg
D2 Recover	Typical practice	Recover	100%	Cleaning	sweep
D3 Recycle	None typically	At 60 years	Nil	None	0%

## Environmental Impact Terminology

The United Nations reports only a few decades are left to resolve accelerating climate emergency and extinction crises. It is a call to action to all people to reverse the loss of climate and biodiversity security from human development in all activity [16]. Key environmental damages contributing to risks of ecological and community loss and collapse are tabled below with common names and remedies for each indicator.

<p><b>Climate change from anthropogenic infrared forced global warming</b></p>	<p>Greenhouse gases absorb infra-red radiation. This heat reduces thermal energy differentials, from equator to poles, forcing ocean current and wind circulation to blend and regulate climate. Weakly blended “lumpier” weather has more frequent, extreme heat wave, fire-storm, cyclone, rain-storm, flood and blizzard events. Accumulation of carbon dioxide, natural gas methane, nitrous oxides and volatile organic compounds from burning fossil fuels causes global warming. Forest and wilderness growth absorbing air-borne carbon in biomass can drawdown such accumulation. Urgent renewable energy reliance is vital in time to avoid imminent tipping points and the worsening “<b>climate emergency</b>”.</p>
<p><b>Ozone layer depletion</b></p>	<p>Stratospheric ozone loss weakens the planet’s solar shield so more shorter wavelength ultraviolet (UVB) light reaching earth damages plants and increases malignant melanoma and skin cancer in humans and animals. Chlorofluorocarbons, hydrochlorofluorocarbons (HCFC), hydrobromofluorocarbons, carbon tetrachloride, chlorobromomethane, methyl chloroform, methyl bromide and halon gas cause ozone layer loss. To repair the “<b>ozone hole</b>” reliance on ozone-safe refrigerants, aerosols and solvents is essential to avoid further its depletion and enable accumulation of naturally-formed ozone.</p>
<p><b>Acidification of air, land and waters</b></p>	<p>Acidification in the atmosphere reduces soil and waterway pH, impedes nitrogen fixation vital for plant growth and inhibits natural decomposition. It increases rates and incidence of fish kills, forest loss and deterioration of buildings and materials. Chief synthetic causes of “<b>acid rain</b>” are emissions of sulphur and nitrogen oxides, hydrochloric and hydrofluoric acids and ammonia from burning fossil fuels polluting precipitation of rain and snow world-wide.</p>
<p><b>Eutrophication of terrestrial, freshwater and marine life</b></p>	<p>Eutrophication from excessively high macronutrient levels added to natural waters promotes excessive plant growth that severely reduces oxygen, water and habitat security for aquatic and terrestrial organisms across related ecosystems. Chief synthetic cause of “<b>algal blooms</b>” is nitrogen (N, NO<sub>x</sub>, NH<sub>4</sub>) and phosphorus (P, PO<sub>4</sub><sup>3-</sup>) in rain run-off over-fertilised land catchments.</p>
<p><b>Photochemical ozone creation</b></p>	<p>Tropospheric photochemical ozone, called “<b>summer smog</b>” near ground level, is created from natural and synthetic compounds in UV sunlight. Low concentration smog damages vegetation and crops. High concentration smog is hazardous to human health. Chief synthetic causes are nitrogen oxides, carbon monoxide and volatile organic compounds (VOC) pollutants. Avoiding reliance on dirtiest coal fuel and volatile chemicals has reduced smog incidence in many areas globally.</p>
<p><b>Depletion of minerals, metals &amp; water</b></p>	<p>Abiotic depletion of finite mineral resources increases time, effort and money required to obtain more resources to the point of extinction of naturally viable reserves. This can limit access to available, valuable and scarce elements vital for human-life. The youth movement “<b>extinction rebellion</b>” calls on adults to secure climate, material reserves and biodiversity for current and future generations.</p>
<p><b>Depletion of fossil fuel reserves</b></p>	<p>Abiotic depletion of resources by consuming finite oil, natural gas, coal and yellowcake fossil fuel reserves leaves current and future generations suffering limited available, accessible, plentiful, essential valuable as well as scarce raw material, medicinal, chemical, feedstock and fuel stock. Approaching “<b>peak oil</b>” acknowledged fossil fuel reserves are finite and the need for decision-makers to act to avoid market instability, insecurity and or oil and gas wars.</p>

## Glossary of Impact Assessment Terms, Methods and Units

Acronyms, methods and units of impact potentials plus inventory inputs and outputs, are defined below

Impact Potentials	Acronym	Description of Methods	Units
Climate Change biogenic	GWP <sub>bio</sub>	GWP biogenic [7]	kg CO <sub>2eq</sub>
Climate Change luluc	GWP <sub>luluc</sub>	GWP land use & change [7]	kg CO <sub>2eq</sub>
Climate Change fossil	GWP <sub>ff</sub>	GWP fossil fuels [7]	kg CO <sub>2eq</sub>
Climate Change total	GWP <sub>t</sub>	Global Warming Potential [7]	kg CO <sub>2eq</sub>
Stratospheric Ozone Depletion	ODP	Stratospheric Ozone Loss [8]	kg CFC <sub>11eq</sub>
Photochemical Ozone Creation	POCP	Summer Smog [9]	kg NMOC <sub>eq</sub>
Acidification Potential	AP	Accumulated Exceedance [10]	mol H <sup>+</sup> <sub>eq</sub>
Eutrophication Freshwater	EP <sub>fresh</sub>	Excess nutrients freshwater [11]	kg P <sub>eq</sub>
Eutrophication Marine	EP <sub>marine</sub>	Excess marine nutrients [11]	kg N <sub>eq</sub>
Eutrophication Terrestrial	EP <sub>land</sub>	Excess Terrestrial nutrients [11]	mol N <sub>eq</sub>
Mineral & Metal Depletion	ADP <sub>min</sub>	Abiotic Depletion minerals [12]	kg Sb <sub>eq</sub>
Fossil Fuel Depletion	ADP <sub>ff</sub>	Abiotic Depletion fossil fuel [13]	MJ <sub>ncv</sub>
Water Depletion	WDP	Water Deprivation Scarcity [14,15]	m <sup>3</sup> <sub>WDP eq</sub>
Fresh Water Net	FW	Lake, river, well & town water	m <sup>3</sup>
Secondary Material	SM	Post-consumer recycled (PCR)	kg
Secondary Renewable Fuel	RSF	PCR biomass burnt	MJ <sub>ncv</sub>
Primary Energy Renewable Material	PERM	Biomass retained material	MJ <sub>ncv</sub>
Primary Energy Renewable Not Feedstock	PERE	biomass fuels burnt	MJ <sub>ncv</sub>
Primary Energy Renewable Total	PERT	Biomass burnt + retained	MJ <sub>ncv</sub>
Secondary Non-renewable Fuel	NRSF	PCR fossil-fuels burnt	MJ <sub>ncv</sub>
Primary Energy Non-renewable Material	PENRM	Fossil feedstock retained	MJ <sub>ncv</sub>
Primary Energy Non-renewable Not Feedstock	PENRE	fossil-fuel used or burnt	MJ <sub>ncv</sub>
Primary Energy Non-renewable Total	PENRT	Fossil feedstock & fuel use	MJ <sub>ncv</sub>
Hazardous Waste Disposed	HWD	Reprocessed to contain risks	kg
Non-hazardous Waste Disposed	NHWD	Municipal landfill facility waste	kg
Radioactive Waste Disposed	RWD	Mostly ex nuclear power stations	kg
Components For Reuse	CRU	Product scrap for reuse as is	kg
Material For Recycling	MFR	Factory scrap to remanufacture	kg
Material For Energy Recovery	MER	Factory scrap use as fuel	kg
Exported Energy Electrical	EEE	Uncommon for building products	MJ <sub>ncv</sub>
Exported Energy Thermal	EET	Uncommon for building products	MJ <sub>ncv</sub>





## 16mm Chemical Resistant LGLP01 2023EP

## Results Module A Cradle to Site

Table 1 shows results of A1 resourcing, A2 transport, A3 manufacture, A4 delivery and A5 construct.

Table 1 A1 to A5 Impact &amp; Inventory Results/Functional Unit

Result	A1-3	A4	A5
Climate Change biogenic	-1.4	-1.1E-06	-7.5E-02
Climate Change luluc	0.06	1.0E-09	2.8E-03
Climate Change fossil	9.3	1.9E-02	0.47
Climate Change total	8.0	1.9E-02	0.40
Stratospheric Ozone Depletion	1.2E-07	1.7E-13	9.1E-09
Photochemical Ozone Creation	0.04	1.2E-04	2.1E-03
Acidification Potential	0.02	1.2E-05	9.1E-04
Eutrophication Freshwater	3.4E-05	5.6E-10	1.9E-06
Eutrophication Marine	4.2E-03	2.3E-06	2.1E-04
Eutrophication Terrestrial	0.04	7.7E-06	1.9E-03
Mineral and Metal Depletion	2.5E-03	7.2E-06	1.2E-04
Fossil Depletion	5.2	2.2E-02	0.26
Water Scarcity Depletion	0.09	3.0E-06	4.4E-03
Net Fresh Water Use	0.55	1.8E-05	2.7E-02
Secondary Material	0.32	2.3E-06	2.7E-03
Secondary Renewable Fuel	28	6.8E-06	1.4
Primary Renewable Material	6.3	3.0E-04	3.1E-03
Primary Energy Renewable Not Feedstock	0.05	2.4E-03	0.33
Primary Energy Renewable Total	34	2.7E-03	1.8
Secondary Non-renewable Fuel	0.31	7.4E-04	1.0E-02
Primary Energy Non-renewable Material	18	0.11	0.92
Primary Non-renewable Energy Not Feedstock	84	0.19	4.2
Primary Energy Non-renewable Total	102	0.30	5.2
Hazardous Waste Disposed	2.4E-03	3.7E-05	1.2E-04
Non-hazardous Waste Disposed	0.75	3.1E-04	4.1E-02
Radioactive Waste Disposed	2.2E-15	1.1E-31	1.1E-16
Components For Reuse	0	4.4E-3	0
Material For Recycling	0.08	5.7E-06	6.0E-03
Material For Energy Recovery	2.7E-04	2.3E-07	2.1E-05
Exported Energy Electrical	0	0	0
Exported Energy Thermal	0	0	0



## 16mm Chemical Resistant LGLP01 2023EP

## Results Module B: Building Fabric and Operations

Table 2 shows results of B1 use, B2 maintain, B3 repair, B4 replace, B5 refurbish, B6 energy use and B7 water use.

Table 2 B1 to B7 Impact &amp; Inventory Results/Functional Unit

Result	B1	B2	B3	B4	B5	B6	B7
Climate Change biogenic	0	-0.10	-7.5E-02	0	0	0	0
Climate Change luluc	0	6.5E-06	2.8E-03	0	0	0	0
Climate Change fossil	0	0.72	0.47	0	0	0	0
Climate Change total	0	0.62	0.40	0	0	0	0
Stratospheric Ozone Depletion	0	3.2E-09	9.1E-09	0	0	0	0
Photochemical Ozone Creation	0	3.0E-03	2.1E-03	0	0	0	0
Acidification Potential	0	1.3E03	9.1E-04	0	0	0	0
Eutrophication Freshwater	0	6.5E-07	1.9E-06	0	0	0	0
Eutrophication Marine	0	2.1E-04	2.1E-04	0	0	0	0
Eutrophication Terrestrial	0	1.5E-03	1.9E-03	0	0	0	0
Mineral and Metal Depletion	0	3.2E-04	1.2E-04	0	0	0	0
Fossil Depletion	0	0.52	0.26	0	0	0	0
Water Scarcity Depletion	0	1.1E-02	4.4E-03	0	0	0	0
Net Fresh Water Use	0	6.6E-02	2.7E-02	0	0	0	0
Secondary Material	0	2.7E-03	2.7E-03	0	0	0	0
Secondary Renewable Fuel	0	1.4	1.4	0	0	0	0
Primary Renewable Material	0	3.1E-03	3.1E-03	0	0	0	0
Primary Energy Renewable Not Feedstock	0	0.33	0.33	0	0	0	0
Primary Energy Renewable Total	0	1.8	1.8	0	0	0	0
Secondary Non-renewable Fuel	0	1.0E-02	1.0E-02	0	0	0	0
Primary Energy Non-renewable Material	0	0.92	0.92	0	0	0	0
Primary Non-renewable Energy Not Feedstock	0	4.2	4.2	0	0	0	0
Primary Energy Non-renewable Total	0	5.2	5.2	0	0	0	0
Hazardous Waste Disposed	0	9.9E-04	1.2E-04	0	0	0	0
Non-hazardous Waste Disposed	0	0.11	0.40	0	0	0	0
Radioactive Waste Disposed	0	2.7E-17	1.1E-16	0	0	0	0
Components For Reuse	0	0	0	0	0	0	0
Material For Recycling	0	7.6E-02	6.0E-03	0	0	0	0
Material For Energy Recovery	0	3.6E-05	2.1E-05	0	0	0	0
Exported Energy Electrical	0	0	0	0	0	0	0
Exported Energy Thermal	0	0	0	0	0	0	0



16mm Chemical Resistant LGLP01 2023EP

Results Module C: End-of-life

Table 3 shows results for C1 demolish, C2 transport C3 waste processing and C4 disposal.

Table 3 C1 to C4 Impact & Inventory Results/Functional Unit

Result	C1	C2	C3	C4
Climate Change biogenic	-7.0E-06	-5.4E-07	0	-3.4E-07
Climate Change luluc	1.0E-08	8.0E-10	0	5.1E-10
Climate Change fossil	1.9E-03	6.2E-03	0	6.1E-03
Climate Change total	1.9E-03	6.2E-03	0	6.1E-03
Stratospheric Ozone Depletion	2.3E-13	1.1E-13	0	8.8E-14
Photochemical Ozone Creation	7.6E-06	6.0E-05	0	1.4E-04
Acidification Potential	3.5E-06	5.1E-06	0	1.8E-05
Eutrophication Freshwater	7.3E-13	3.1E-10	0	2.6E-10
Eutrophication Marine	6.4E-07	9.4E-07	0	3.3E-06
Eutrophication Terrestrial	4.1E-06	3.2E-06	0	6.3E-06
Mineral and Metal Depletion	3.8E-09	4.2E-06	0	4.0E-06
Fossil Depletion	9.2E-04	7.5E-03	0	7.2E-03
Water Scarcity Depletion	2.5E-07	1.4E-06	0	1.2E-06
Net Fresh Water Use	1.5E-06	8.7E-06	0	7.5E-06
Secondary Material	1.5E-05	1.7E-06	0	1.2E-06
Secondary Renewable Fuel	7.4E-08	5.3E-17	0	3.3E-17
Primary Renewable Material	2.3E-03	2.9E-04	0	2.1E-04
Primary Energy Renewable Not Feedstock	1.4E-07	1.6E-03	0	1.3E-03
Primary Energy Renewable Total	2.3E-03	1.9E-03	0	1.5E-03
Secondary Non-renewable Fuel	1.4E-08	4.8E-04	0	3.9E-04
Primary Energy Non-renewable Material	2.0E-02	6.3E-02	0	6.0E-02
Primary Non-renewable Energy Not Feedstock	2.5E-04	3.7E-02	0	4.0E-02
Primary Energy Non-renewable Total	2.0E-02	0.10	0	0.10
Hazardous Waste Disposed	7.3E-08	1.2E-05	0	1.2E-05
Non-hazardous Waste Disposed	5.6E-06	9.6E-05	0	5.0E-02
Radioactive Waste Disposed	4.4E-21	8.5E-32	0	5.4E-32
Components For Reuse	0	0	0	0
Material For Recycling	2.2E-05	4.0E-06	0	3.0E-06
Material For Energy Recovery	2.9E-10	1.5E-07	0	1.2E-07
Exported Energy Electrical	0	0	0	0
Exported Energy Thermal	0	0	0	0



## 16mm Chemical Resistant LGLP01 2023EP

## Results Module D: Beyond System Boundaries

Table 4 has results for benefit and loads in D1 reuse, D3 recycling and D2 recovery.

Table 4 D1 to D3 Impact &amp; Inventory Results/Functional Unit

Result	D1	D2	D3
Climate Change biogenic	-0.43	-1.8E-05	-1.3E-03
Climate Change luluc	-1.5E-02	1.8E-09	2.8E-03
Climate Change fossil	-2.8	2.5E-04	0.47
Climate Change total	-2.4	2.3E-04	0.40
Stratospheric Ozone Depletion	-3.4E-08	5.9E-13	9.1E-09
Photochemical Ozone Creation	-1.3E-02	1.0E-06	2.1E-03
Acidification Potential	-5.3E-03	4.4E-07	9.1E-04
Eutrophication Freshwater	-9.9E-06	1.2E-10	1.9E-06
Eutrophication Marine	-1.2E-03	7.7E-08	2.1E-04
Eutrophication Terrestrial	-1.1E-02	5.2E-07	1.9E-03
Mineral and Metal Depletion	-7.2E-04	5.8E-08	1.2E-04
Fossil Depletion	-1.6	1.5E-04	0.26
Water Scarcity Depletion	-2.5E-02	1.8E-05	4.4E-03
Net Fresh Water Use	-0.16	1.1E-04	2.7E-02
Secondary Material	-7.4E-03	0	2.7E-03
Secondary Renewable Fuel	-8.0	1.7E-04	1.8E-03
Primary Renewable Material	-1.7	2.7E-04	0.20
Primary Energy Renewable Not Feedstock	-6.7E-02	3.0E-05	4.3E-03
Primary Energy Renewable Total	-10.0	4.7E-04	0.21
Secondary Non-renewable Fuel	-8.0E-02	7.7E-06	1.5E-03
Primary Energy Non-renewable Material	-26	2.4E-03	1.9
Primary Non-renewable Energy Not Feedstock	-6.0	3.2E-04	0.14
Primary Energy Non-renewable Total	-32	2.7E-03	2.0
Hazardous Waste Disposed	-1.0E-03	1.9E-07	1.2E-04
Non-hazardous Waste Disposed	-6.1E-02	2.0E-05	4.1E-02
Radioactive Waste Disposed	-6.0E-16	4.9E-21	1.1E-16
Components For Reuse	0	0	0
Material For Recycling	-4.9E-02	1.5E-05	6.0E-03
Material For Energy Recovery	-8.3E-05	6.5E-09	2.1E-05
Exported Energy Electrical	0	0	0
Exported Energy Thermal	0	0	0



13mm Chemical Resistant LGLP02 2023EP

Results Module A Cradle to Site

Table 5 shows results of A1 resourcing, A2 transport, A3 manufacture, A4 delivery and A5 construct.

Table 5 A1 to A5 Impact & Inventory Results/Functional Unit

Result	A1-3	A4	A5
Climate Change biogenic	-1.4	-1.1E-06	-7.5E-02
Climate Change luluc	0.06	1.0E-09	2.8E-03
Climate Change fossil	9.3	1.9E-02	0.47
Climate Change total	8.0	1.9E-02	0.40
Stratospheric Ozone Depletion	1.2E-07	1.7E-13	9.1E-09
Photochemical Ozone Creation	0.04	1.2E-04	2.1E-03
Acidification Potential	0.02	1.2E-05	9.1E-04
Eutrophication Freshwater	3.4E-05	5.6E-10	1.9E-06
Eutrophication Marine	4.2E-03	2.3E-06	2.1E-04
Eutrophication Terrestrial	0.04	7.7E-06	1.9E-03
Mineral and Metal Depletion	2.5E-03	7.2E-06	1.2E-04
Fossil Depletion	5.2	2.2E-02	0.26
Water Scarcity Depletion	0.09	3.0E-06	4.4E-03
Net Fresh Water Use	0.55	1.8E-05	2.7E-02
Secondary Material	0.32	2.3E-06	2.7E-03
Secondary Renewable Fuel	27	6.8E-06	1.4
Primary Renewable Material	6.2	3.0E-04	3.1E-03
Primary Energy Renewable Not Feedstock	0.05	2.4E-03	0.33
Primary Energy Renewable Total	34	2.7E-03	1.8
Secondary Non-renewable Fuel	0.32	7.4E-04	1.0E-02
Primary Energy Non-renewable Material	18	0.11	0.92
Primary Non-renewable Energy Not Feedstock	84	0.19	4.2
Primary Energy Non-renewable Total	102	0.30	5.2
Hazardous Waste Disposed	2.4E-03	3.7E-05	1.2E-04
Non-hazardous Waste Disposed	0.75	3.1E-04	4.1E-02
Radioactive Waste Disposed	2.2E-15	1.1E-31	1.1E-16
Components For Reuse	0	4.4E-3	0
Material For Recycling	0.08	5.7E-06	6.0E-03
Material For Energy Recovery	2.8E-04	2.3E-07	2.1E-05
Exported Energy Electrical	0	0	0
Exported Energy Thermal	0	0	0



## 13mm Chemical Resistant LGLP02 2023EP

## Results Module B: Building Fabric and Operations

Table 6 shows results of B1 use, B2 maintain, B3 repair, B4 replace, B5 refurbish, B6 energy use and B7 water use.

Table 6 B1 to B7 Impact &amp; Inventory Results/Functional Unit

Result	B1	B2	B3	B4	B5	B6	B7
Climate Change biogenic	0	-0.10	-7.5E-02	0	0	0	0
Climate Change luluc	0	6.5E-06	2.8E-03	0	0	0	0
Climate Change fossil	0	0.72	0.47	0	0	0	0
Climate Change total	0	0.62	0.40	0	0	0	0
Stratospheric Ozone Depletion	0	3.2E-09	9.1E-09	0	0	0	0
Photochemical Ozone Creation	0	3.0E-03	2.1E-03	0	0	0	0
Acidification Potential	0	1.3E03	9.1E-04	0	0	0	0
Eutrophication Freshwater	0	6.5E-07	1.9E-06	0	0	0	0
Eutrophication Marine	0	2.1E-04	2.1E-04	0	0	0	0
Eutrophication Terrestrial	0	1.5E-03	1.9E-03	0	0	0	0
Mineral and Metal Depletion	0	3.2E-04	1.2E-04	0	0	0	0
Fossil Depletion	0	0.52	0.26	0	0	0	0
Water Scarcity Depletion	0	1.1E-02	4.4E-03	0	0	0	0
Net Fresh Water Use	0	6.6E-02	2.7E-02	0	0	0	0
Secondary Material	0	2.7E-03	2.7E-03	0	0	0	0
Secondary Renewable Fuel	0	1.4	1.4	0	0	0	0
Primary Renewable Material	0	3.1E-03	3.1E-03	0	0	0	0
Primary Energy Renewable Not Feedstock	0	0.33	0.33	0	0	0	0
Primary Energy Renewable Total	0	1.8	1.8	0	0	0	0
Secondary Non-renewable Fuel	0	1.0E-02	1.0E-02	0	0	0	0
Primary Energy Non-renewable Material	0	0.92	0.92	0	0	0	0
Primary Non-renewable Energy Not Feedstock	0	4.2	4.2	0	0	0	0
Primary Energy Non-renewable Total	0	5.2	5.2	0	0	0	0
Hazardous Waste Disposed	0	9.9E-04	1.2E-04	0	0	0	0
Non-hazardous Waste Disposed	0	0.11	0.40	0	0	0	0
Radioactive Waste Disposed	0	2.7E-17	1.1E-16	0	0	0	0
Components For Reuse	0	0	0	0	0	0	0
Material For Recycling	0	7.6E-02	6.0E-03	0	0	0	0
Material For Energy Recovery	0	3.6E-05	2.1E-05	0	0	0	0
Exported Energy Electrical	0	0	0	0	0	0	0
Exported Energy Thermal	0	0	0	0	0	0	0



13mm Chemical Resistant LGLP02 2023EP

Results Module C: End-of-life

Table 7 shows results for C1 demolish, C2 transport C3 waste processing and C4 disposal.

Table 7 C1 to C4 Impact & Inventory Results/Functional Unit

Result	C1	C2	C3	C4
Climate Change biogenic	-7.0E-06	-5.4E-07	0	-3.4E-07
Climate Change luluc	1.0E-08	8.0E-10	0	5.1E-10
Climate Change fossil	1.9E-03	6.2E-03	0	6.1E-03
Climate Change total	1.9E-03	6.2E-03	0	6.1E-03
Stratospheric Ozone Depletion	2.3E-13	1.1E-13	0	8.8E-14
Photochemical Ozone Creation	7.6E-06	6.0E-05	0	1.4E-04
Acidification Potential	3.5E-06	5.1E-06	0	1.8E-05
Eutrophication Freshwater	7.3E-13	3.1E-10	0	2.6E-10
Eutrophication Marine	6.4E-07	9.4E-07	0	3.3E-06
Eutrophication Terrestrial	4.1E-06	3.2E-06	0	6.3E-06
Mineral and Metal Depletion	3.8E-09	4.2E-06	0	4.0E-06
Fossil Depletion	9.2E-04	7.5E-03	0	7.2E-03
Water Scarcity Depletion	2.5E-07	1.4E-06	0	1.2E-06
Net Fresh Water Use	1.5E-06	8.7E-06	0	7.5E-06
Secondary Material	1.5E-05	1.7E-06	0	1.2E-06
Secondary Renewable Fuel	7.4E-08	5.3E-17	0	3.3E-17
Primary Renewable Material	2.3E-03	2.9E-04	0	2.1E-04
Primary Energy Renewable Not Feedstock	1.4E-07	1.6E-03	0	1.3E-03
Primary Energy Renewable Total	2.3E-03	1.9E-03	0	1.5E-03
Secondary Non-renewable Fuel	1.4E-08	4.8E-04	0	3.9E-04
Primary Energy Non-renewable Material	2.0E-02	6.3E-02	0	6.0E-02
Primary Non-renewable Energy Not Feedstock	2.5E-04	3.7E-02	0	4.0E-02
Primary Energy Non-renewable Total	2.0E-02	0.10	0	0.10
Hazardous Waste Disposed	7.3E-08	1.2E-05	0	1.2E-05
Non-hazardous Waste Disposed	5.6E-06	9.6E-05	0	5.0E-02
Radioactive Waste Disposed	4.4E-21	8.5E-32	0	5.4E-32
Components For Reuse	0	0	0	0
Material For Recycling	2.2E-05	4.0E-06	0	3.0E-06
Material For Energy Recovery	2.9E-10	1.5E-07	0	1.2E-07
Exported Energy Electrical	0	0	0	0
Exported Energy Thermal	0	0	0	0



## 13mm Chemical Resistant LGLP02 2023EP

## Results Module D: Beyond System Boundaries

Table 8 has results for benefit and loads in D1 reuse, D3 recycling and D2 recovery.

Table 8 D1 to D3 Impact &amp; Inventory Results/Functional Unit

Result	D1	D2	D3
Climate Change biogenic	-0.43	-1.8E-05	-1.3E-03
Climate Change luluc	-1.5E-02	1.8E-09	2.8E-03
Climate Change fossil	-2.8	2.5E-04	0.47
Climate Change total	-2.4	2.3E-04	0.40
Stratospheric Ozone Depletion	-3.4E-08	5.9E-13	9.1E-09
Photochemical Ozone Creation	-1.3E-02	1.0E-06	2.1E-03
Acidification Potential	-5.3E-03	4.4E-07	9.1E-04
Eutrophication Freshwater	-9.9E-06	1.2E-10	1.9E-06
Eutrophication Marine	-1.2E-03	7.7E-08	2.1E-04
Eutrophication Terrestrial	-1.1E-02	5.2E-07	1.9E-03
Mineral and Metal Depletion	-7.2E-04	5.8E-08	1.2E-04
Fossil Depletion	-1.6	1.5E-04	0.26
Water Scarcity Depletion	-2.5E-02	1.8E-05	4.4E-03
Net Fresh Water Use	-0.16	1.1E-04	2.7E-02
Secondary Material	-7.4E-03	0	2.7E-03
Secondary Renewable Fuel	-8.0	1.7E-04	1.8E-03
Primary Renewable Material	-1.7	2.7E-04	0.20
Primary Energy Renewable Not Feedstock	-6.7E-02	3.0E-05	4.3E-03
Primary Energy Renewable Total	-10.0	4.7E-04	0.21
Secondary Non-renewable Fuel	-8.0E-02	7.7E-06	1.5E-03
Primary Energy Non-renewable Material	-26	2.4E-03	1.9
Primary Non-renewable Energy Not Feedstock	-6.0	3.2E-04	0.14
Primary Energy Non-renewable Total	-32	2.7E-03	2.0
Hazardous Waste Disposed	-1.0E-03	1.9E-07	1.2E-04
Non-hazardous Waste Disposed	-6.1E-02	2.0E-05	4.1E-02
Radioactive Waste Disposed	-6.0E-16	4.9E-21	1.1E-16
Components For Reuse	0	0	0
Material For Recycling	-4.9E-02	1.5E-05	6.0E-03
Material For Energy Recovery	-8.3E-05	6.5E-09	2.1E-05
Exported Energy Electrical	0	0	0
Exported Energy Thermal	0	0	0





**Interpretation Cradle to Gate A1 to A3**

The first interpretation section discusses Compact product results cradle to gate A1 to A3. Their names are Chemical resistant 13mm (Lab13) Chemical resistant 16mm (Lab16) Multipurpose Impressions 13mm (MultiImp) Multi-purpose 13mm (MultiP) Alfresco 13mm (Alfre) Aquapanel 2.7mm (AquaP) and Aquapanel CustomArt 2.7mm (AquaCA).

Figure 3 charts their material component mass kg/kg product. Figure 4 charts input of energy and feedstock use (MJ) and material (kg) versus GWP (kg)/kg product.




Figure 3 Material Component Share kg/kg




Figure 4 Input Share (MJ & kg) Vs CO<sub>2e</sub> kg/kg

These charts show the main components were cellulose filler and binders of Phenol or Melamine Formaldehyde. Components other than the filler and binders have very low mass share. The charts show highest sensitivity to fossil energy use then fossil feedstock then filler and formaldehyde binders and least sensitivity to the low mass remainder. Renewable feedstock filler reduced greenhouse emissions GWP.

**Interpretation Cradle to Grave and Beyond the System Boundary A1 to D3**

The next section discusses product results cradle to fate A1 to C4 and beyond the system boundary to D3. Figure 5 charts GWP versus energy and feedstock use A-D3/kg Functional Unit. Figure 6 charts Water Deprivation (DepW) Vs Acidification (AP) and Eutrophication terrestrial (EP<sub>t</sub>)/kg Functional Unit A1-- D3.




Figure 5 GWP vs Energy & Feedstock A1-D3/kg




Figure 6 FW Vs AP, EP & A1-D3/kg

The charts show that GWP was not significant overall. Chart 5 shows flows with minor credits in reuse beyond 20-years. Chart 6 shows Acidification and EP peak with cleaning in D1 reuse beyond 20-years.

## References

- [1] EN 15804:2012+A2:2019 Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products.
- [2] GreenTag PCR <https://www.globalgreentag.com/get/files/1191/wall-ceiling-linings-sub-pcr-wcl.pdf>
- [3] GreenTag PCR <https://www.globalgreentag.com/get/files/1189/fitted-cabinetry-sub-pcr-2023-fic.pdf>
- [4] ISO 14025:2010 Environmental labels and declarations – Type III – environmental declarations - Principles and procedures.
- [5] ISO14044:2006 Environmental management – Life cycle assessment (LCA) – Requirements and guidelines.
- [6] ISO 15686-2:2012 Buildings and constructed assets - Service life planning - Part 2: Service life prediction procedures.
- [7] ISO 15686-8:2008 Buildings and constructed assets - Service-life planning - Part 8: Reference service life and service-life estimation.
- [8] IPCC 2013, Global Warming Potential 100-year, IPCC Fifth Assessment Report Climate Change.
- [9] WMO 2014, Ozone Depletion Potentials for Steady-state, Scientific Assessment of Ozone Depletion: 2014, Global Ozone Research and Monitoring Project Report No. 55, 2014.
- [10] Van Zelm, R., Huijbregts, M., Hollander, H., Jaarsveld, H., Sauter, F., Struijs, J., Wijnen, H., Van de meent, D. 2008, European characterization factors for human health damage of PM10 and ozone in life cycle impact assessment, J O Atmospheric Environment 42(3):441-453, as applied in ReCiPe LOTOS-EUROS. <https://www.doi:10.1016/j.atmosenv.2007.09.072>
- [11] Seppälä, J., Posch, M., Johansson, M. and Hettelingh, J-P. 2006 Country-dependent Characterisation Factors for Acidification and Terrestrial Eutrophication Based on Accumulated Exceedance as an Impact Category Indicator, J O LCA 11(6):403-416 Nov 2006 <https://www.doi:10.1065/lca2005.06.215>
- [12] Posch, M., Seppälä, J., Hettelingh, J-P. and Johansson, M., (2008) The role of atmospheric dispersion models and ecosystem sensitivity in the determination of characterisation factors for acidifying and eutrophying emissions in LCIA, J o LCA 13(6):477-486., <https://www.doi:10.1007/s11367-008-0025-9>
- [13] Struijs, J., Beusen, A., van Jaarsveld, H. & Huijbregts, M.A.J. Aquatic Eutrophication. Ch 6 in: Goedkoop, M., Heijungs, R., Huijbregts, M.A.J., De Schryver, A., Struijs, J., Van Zelm, R. (2009). ReCiPe 2008 A LCIA method which comprises harmonised category indicators at the midpoint and the endpoint level. Report I: Characterisation factors, 1<sup>st</sup> Ed.
- [14] CML–IA V4.1 LCA methodology, 2002, October 2012, CML University of Leiden, Netherlands.
- [15] Guinée et al., 2002, and van Oers et al., 2002 CML LCA methodology 2002a, Institute of Environmental Sciences (CML), Faculty of Science, University of Leiden, Netherlands.
- [16] Boulay, A-M., Bare, J., Benini, L., Berger, M., Lathuilliere, M., Manzardo, A., Margni, M., Motoshita, M., Núñez, M., Pastor, A., Ridoutt, B., Oki, T., Worbe, S., Pfister, S. (2018). The WULCA consensus characterization model for water scarcity footprints: assessing impacts of water consumption based on available water remaining. I J of LCA. 23. 1-11. <https://www.doi:10.1007/s11367-017-1333-8>.